



Hickleys

WE'RE FULLY EQUIPPED TO ASSIST... TOOLS AND EQUIPMENT FOR THE AUTOMOTIVE AFTERMARKET



SEE PAGES 24 & 25



BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

CALL YOUR LOCAL YMF BRANCH TODAY



. . .

LAYERTHORPE MALTON
Tel: 01904 628828 Tel: 01653 602700

POPPLETON 0 **Tel: 01904 917280** SCARBOROUGH SELBY Tel: 01723 413104 Tel: 01

SELBY Tel: 01757 403300 YMF Car Parts

..........

CONTENTS





TERMS & CONDITIONS

- Lease example: Launch X431 Pro 5 Plus Offer price £1950. 5 Year lease plan: Advance rental £44.85 + VAT, followed by 59 payments of £44.85 + VAT, weekly equivalent £10.35 + VAT. Set up and document fees apply, please ask for details
- All lease rental prices shown are weekly equivalents assuming advance rental, equivalent to 1 month's rental and all subsequent rentals payable monthly.
- Lease figures may vary according to status and are for illustration purposes only.
- All lease transactions are subject to a documentation fee.
- All prices shown are subject to VAT and subject to status.
- All offers are subject to availability and applicable to UK mainland only, certain postcodes may incur an additional delivery charge.
- All offers available until March 31st 2023, prices and specifications subject to change without notice.
- Any additional costs incurred concerning LOLER, PUWER and BS7980 regulations are the customer's responsibility.
- Installation is to a prepared site, excluding electrical installation. Please make sure your site meets the requirements for the equipment purchased, such as floor quality, concrete depth, power supply and access. If in doubt, please contact your local branch or the supplier.



Kennet Equipment Leasing has been providing finance to garages since 1990.

We are widely known as one of the largest providers of finance within this sector.

We provide leasing and finance solutions that fit your individual requirements.

More and more garage owners realise that purchasing equipment via a finance package really does allow their business to grow.

Offering fast decisions, solid advice, and the continuity of service you would expect from a finely tuned leasing specialist sets us apart from the rest.

Interested in knowing more about leasing? Call Tony Devenney on 01675 469208 or email tonydteam@kennet-leasing.co.uk

Some of the benefits of leasing:

- Fast decisions - No deposit required
- Keep your cash in the business

- Flexible payment terms

- Tax benefits to leasing*

www.kennet-leasing.co.uk



Giving your business the power to grow

Kennet Equipment Leasing Limited. Kennet House, Temple Court, Temple Way, Coleshill, Birmingham B46 1HH. T: 01675 469200 F: 01675 469210 * Your accountant will be able to advise on the tax benefits of leasing equipment

WE'RE FULLY EQUIPPED TO ASSIST...

2

AUTEL

AUTEL



NOW WITH **3** YEARS UPDATES

The MaxiSYS Ultra is the first diagnostic tool to be designed to match the growth of more complex automotive electrical systems, and Electric Vehicles (EVs) which are becoming ever more common place. The Ultra has a super large screen, our fastest processors, our largest ever SSD memory and even a docking station as standard.

The Ultra combines diagnostics, service, extensive live data, channel coding and ECU reflashing* as seen on the MS908Pro. New to the Ultra is our **MaxiFLASH VCMI** with built-in Oscillisope, Multimeter, Signal Generator and OBDC Bus Check Functions. The VCMI connects to the Ultra using hi-speed WiFi which greatly increases the communication speeds.

The all new VCMI also has **Enhanced Protocol Compatability** and supports **D-PDU**, **RP1210**, **CANFD**. **J2534** and **DoIP protocols**.

The Ultra has all new software specialist capabilities that we have named **Repair Assist, DTC Analysis, Topology Mapping** and **Relevant Cases**.





OBD

Built-In Oscilloscope

- Built-In Waveform Generator
- **Built-In Multimeter**

Built-In CAN bus Check

MaxiSYS Ultra includes a number of great features, such as outstanding coverage with 80+ manufacturers, full diagnostics, 26 service functions, channel coding and programming.

The Ultra can be upgraded to operate with our ADAS.

To view a list of authorised dealers in your area, head over to www.autel.uk, enter your postcode and email. We will send you the contact details of your nearest dealer. Alternatively, call us direct on 0333 012 99 59 and one of our team will be able to put you in contact with your local authorised distributor.

0333 012 99 59 sales@autel.uk www.autel.uk

JANUARY - MARCH 2023

CRYPTON





The Autodiagnos Tire series

Fast TPMS service and simple tire management with Continental's new tire service devices

Find more information on the full range of Continental's Autodiagnos Tire devices at aftermarket.com/autodiagnos

CRYPTON





The independent solution with smart operating comfort







- •
- •
- •
- •
- •
- •

- .
- - .



LAUNCH UK

LAUNCH UK









- OS: Android 9.0
- CPU: 1.8 GHz 8 Cores
- 4GB memory
- Internal 64GB + microSD card 32GB
- 10.1" touch screen
- Battery: 7000mAh
- Wifi: 2.4GHz and 5GHz
- Camera: Front 5MP, Rear 8MP

Includes 2 Years Software Updates, 2 years warranty PLUS 1 year Guided **Diagnosis function - HaynesPro Electronics**

GUIDED DIAGNOSIS HAYNES PRO £395 PA 1 YEAR INC. WITH PRO 5 PLUS



-431 PRO 5 LITE

GUIDED DIAGNOSIS FUNCTION

- OS: Android 9.0
- CPU: 1.8 GHz 8 Cores
- 4GB memory
- Internal 32GB + microSD card 32GB
- 10.1" touch screen
- 16 pin DBS car connector and extension cable

Includes 2 Years Software Updates, 2 years warranty (Optional Guided **Diagnosis function**)



X-431 EURO PRO5, based on Android 9 system, is a new high-end vehicle diagnostic device developed by LAUNCH. It passes on LAUNCH's advantages in diagnostic technology, such as wide car model coverage, powerful test function, abundant special functions and accurate test data. Integrated with Guided Diagnosis function based on LAUNCH electronic database, powered by HaynesPro (1 year included with PRO5 Plus model, optional on PRO5 Lite model)

X431 EURO TAB 2

X431 Euro Tab II is a high end diagnostic tool with docking station. Developed around Android version 7.1 with new features such as DOIP, J2534 pass-through online programming, DCT-based database, intelligent diagnosis, etc. It inherits all the excellent functions of the previous generation tool. It supports dual 5GHz WiFi communication.









- · Android 9 operating system
- Supports Google Service & Printer APK from the **Google Play Store**
- Supports both 2.4GHZ & 5GHZ Wifi
- CPU: 2GHZ 4 Cores
- Internal memory: 3GB
- Internal storage: 32GB
- Screen: 8" 1200 x 800 IPS

Includes 2 Years Software Updates PLUS 2 years warranty! (Optional Haynes Pro electronics and ADAS)



WE'RE FULLY EQUIPPED TO ASSIST ...

6

NOW INCLUDES REMOTE DIAGNOSIS

LAUNCH UK

LAUNCH UK

Lo.

R

循

EUROTAB III (3YR SOFTWARE)

£5150.00

5 YR LEASE £27.33 PW

NEW MODEL!



The Euro Tab III is a newly-developed high-end vehicle diagnostic device based on the Android 9.0 operating system. Solid build quality with a huge 13" screen, the new Tab III offers many advanced features, including the Smartlink® C VCI. This advanced module allows for communication and advanced functions in several ways. Featuring its own 4.0-inch screen, the Smartlink® C communicates directly with the vehicle for local diagnosis and remotely for Launch SRD diagnosis, (Launch Super Remote Diagnosis), this new development in diagnostics allows a technician to call a service provider who, using the Smartlink®B device, will connect to the vehicle remotely. It is then possible to carry out almost any diagnostic or programming function, on almost any vehicle, using OEM or aftermarket tools. The VCI is also compatible with DOIP (Diagnosis over the Internet protocol), CAN FD, (flexible data-rate), and as a Pass-Thru device, communicating by J2534, D-PDU and RP1210 protocols.

The Euro Tab III includes the Launch professional database fully integrated into the diagnostic software. This will take the user directly from the DTC to a step by step testing routine, leading to the fault code solution. The new Tab III comes complete with the Launch 02-1 four-channel oscilloscope, as well as the Launch TSGUN and four TPMS sensors. The TS Gun will read all sensor information, programme Launch sensors, and diagnose TPMS fault codes.

IE EUROTAB III FEATURES

- Launch Super remote diagnosis (SRD)
- Intelligent diagnostics for 100+ car brands
- Topology mapping provides visual checking on DTCs and all systems' communication status
- Supports the following automotive communication protocols and standards: CAN / CANFD / DoIP / J2534 / D-PDU / RP1210
- 33 Service and reset functions
- Launch guided diagnosis function
- Optional ADAS calibration function
- Advanced coding and programming function

Extended solution to support TPMS servicing

EUROTAB III (2YR SOFTWARE)

£4800.00

5 YR LEASE £25.48 PW

- 2.4GHz & 5GHz Dual band communication ensures quick and stable connection
- Diagnoses light, medium & heavy duty vehicles with Smartlink® C
- Wireless software update

LAUNCH

Built-in repair information and training video modules help to track and fix issues fast

SPECIAL OFFER INCLUDES

- Upgrade to 3 years software for only £245, saving £280
- One year Launch CarSet electronics database powered by Haynes PRO
- Two-year Launch UK warranty

-431 EURO PRO 5 LINK

NEW MODEL! NOW INCLUDES REMOTE DIAGNOSIS.

The PR0 5 Link is a development of the successful Pro 5 Plus. The PR0 5 Link is supplied with the latest Launch development, the advanced Smartlink®C VCI. This advanced interface supports multiple communication and diagnostic protocols, these include, DOIP, CAN FD, J2534/1/2, D-PDU, RP-1210/C, 5GMHz Wi-Fi, Ethernet, USB 2.0. The Smartlink®C also supports Launch SRD (Super Remote Diagnosis), this new development in diagnostics allows a technician to call a service provider who, using the Smartlink®B device, will connect to the vehicle remotely. It is then possible to carry out almost any diagnostic or programming function, on almost any vehicle, using OEM or aftermarket tools.

The PRO 5 Link uses the latest in Launch diagnostic technology, Intelligent diagnostics automatically

identifies the vehicle through the VIN. Fault codes can be resolved using the Launch CarSet database, powered by Haynes Pro. Using guided diagnostics and technical information, the technician can follow a methodical test plan and resolve the fault issue.

E FEATURES

- Local intelligent diagnostics
- Remote diagnostic, using the Launch SRD platform
- Compatible with multiple protocols
- Supports heavy commercial vehicles (Additional license required)
- One click software updates almost daily

SPECIAL OFFER INCLUDES

- Upgrade to 3 years software for only £300, saving £225
 One year Launch CarSet electronics database
- One year Launch Carset el powered by Haynes PRO
- Two-year Launch UK warranty



JANUARY - MARCH 2023

HICKLEYS





3D WHEEL ALIGNER

Dama HDMA3D3000 **3D Wheel Aligner**

The new Dama DMA3D3000 3D wheel alignment system offers the very latest in high definition 3D technology, producing highly accurate and repeatable results thanks to the high quality camera system and precise, but small target boards. This enables excellent results in all circumstances. Can be used on a 4 post, scissor lift and floor or pit

- 10" 21" Rim clamps with targets
- Single phase
- Filter lenses to reduce effect of sunlight
- Windows 10 operating system with indepth vehicle database
- High precision HD cameras
- Motorised beam to follow lift
- Supplied complete with turnplates, steering wheel lock & brake depressor

2 YEAR WARRANTY

HDMA3D3000

6CCD WHEEL ALIGNER

£69<u>95.00</u> £37.93pw (5 yrs)

SAVE £1500

Ravaglioli Wheel Alignment System

ensuring no damage to wheels.

Hickleys

 $(\bigcirc$

A hugely popular and highly accurate RAV 6 camera CCD four wheel alignment machine, offering an excellent 6 Camera CCD technology opportunity to increase your services and revenue stream. 3 Point Quick Clamps up to 24" • Use on 2 post, 4 post and This unit is rich in features and reliable in operation, scissor lifts offering flexible alignment and can be used on 2 post lifts Wireless charging (with optional drop arm) 4 post lifts and floor or pit. Low spoiler mode The unit is PC controlled with 19" TFT screen, colour High precision alignment Ravaglioli printer and easy to read graphics, plus a huge vehicle • Large vehicle database database that enables you to carry out rapid wheel Remote control heads alignment to the manufacturer's specifications. Bluetooth communication The unit uses Bluetooth communication to the wireless 12 Months warranty heads which recharge on the storage trolley, thus ensuring TD1760WS there are no trailing cables. The 3 point quick clamps cover wheels up to 24" and have no metal to metal contact, £7500.00 £40.67pw (5 yrs)

BRAIN BEE EMISSION ANALYSERS Omni 800 Lite **Omni 800 Standard** Omni 800 Blue OMNI 800 LITE £5195.00 £5695.00 £28.17pw (5 yrs) **DVSA MTS** 2 YEAR CONNECTION WARRANT OMNI 800 BLUE INCLUDED £6495.00 £35.22pw (5 yrs) Emission analyser prices include delivery, installation and initial calibration 3 YEAR CARE PLAN £2100 - 5 YEAR CARE PLAN £3500



GYS

Invest in the **future**

Case Study

We recently supplied Powerduction units within a multi branch chain of

workshops. Here is what the Leeds



POWERDUCTION HEAT without

What is Powerduction?

Powerduction is the GYS range of industrial induction heating equipment. Induction heating is a controlled, safe, and efficient process for heating a metal's core in only a fraction of a second using electromagnetic fields. Ideal for mechanical engineering, commercial vehicle maintenance work, or repairing bent metal; this method of instantly and precisely transferring heat only works on ferrous materials and has no effect on rubber or plastics.

Removing Oxy-Acetylene from workshops not only improves safety, it also saves money on buying gas, renting cylinders, and can reduce premises insurance by up to 30%.



For a demonstration please contact your local branch



SYKES-PICKAVANT



GO1500B

EV Battery & Transmission Lifting Table 1500kg

- Universal lifting table with a load capacity of 1500kg (1.5T).
- Powered by compressed air.
- Sliding cover, allowing convenient battery installation or removal. · High ground clearance makes it compatible with all workshop
- cranes on the market • Extendable and tiltable top table, by means of a mechanical screw.
- Easy to operate and tilt with self explanatory operations
- The table features holes with M10 thread, which can be used to mount all types of supports or accessories, including special hooks, brackets, and protective mats for battery packs. Button operated table lowering.
- Rack safety system, when not being operated, the table locks by means of a mechanical anti-lowereing safety wedge.

Hydraulic Workshop Presses

ing and and in opiniop in coses									
PRODUCT CODE	RATING	HEIGHT (MM)	WIDTH (MM)	DEPTH (MM)	BED DEPTH (MM)	RANGE	WEIGHT (KG)	PRICE	
53436010	15T	1930	920	650	170	85-950	150	£925.00	
53436210	20T	2030	940	650	170	65-1030	165	£999.00	
53436410	30T	2060	1120	650	200	115-1020	230	£1599.00	
53436510	50T	2290	1220	650	210	70-1065	370	£2649.00	
534551V3	Press Guard						£269.30		
534362-16	Optional Pedal Kit for Silver Series Presses- Only available for 12,20 & 30T versions						£148.45		

Pressure gauge.

Manufactured in the EU.

Piston over-travel limit stop.

• V blocks.

NEW Silver Series range of Hydraulic Workshop Presses equipped with a two-speed manual pump, overload safety valve, automatic ram back-run system and V blocks.

- Welded, heavy duty steel frame.
- Two speed pump.
- Overload safety valve.
- Automatic ram return.

£945.00 343001V2 12V Automatic Brake Bleeder-6 Bar

- Includes regulator from 0 to 6 bar and 4 x wheels (2 x front swivel).
- · Allows one man operation for brake and clutch bleeding.
- · Compatible with ABS systems. • 12v Powering with reverse polarity
- warning.
- · Includes pump with automatic shut off valve.
- · 5L reservoir with visible (min) level indication.
- · Auto power OFF when min level reached. Large Reservoir opening for easy
- cleaning. Includes aluminium SP Euro cap -
- angled screw type. Power cable for brake fluid with
- quick coupling system (Length: 4m).





861002SP1 Pro-Start 800 Battery and Free Accusmart*

A complete range of high quality Battery Booster Packs, covering a wide variety of applications including Automotive, Agriculture, Plant, HGV, Marine & Aviation.

Features:

- · AGM internal batteries deliver high amperage instantaneously (2 year warranty).
- Double insulated starting cables 1.30 / 1.35 mtrs length. Illuminated voltmeter indicates booster charge level,
- booster & alternator function. · Internal fuse protects against short circuits.
- · Curved jaw clamps, fully insulated.

*WHILE STOCKS LAST

· Single-piece, moulded case - shock resistant (lifetime warranty on case).

INCLUDES LIFETIME CASE WARRANTY & 2 YEAR BATTERY WARRANTY SUBJECT TO CONDITIONS - see website for details

f 🗹 🗖 in 01543 679900 Magnetic Holders

Sykes-Pickavant

WWW.SYKES-PICKAVANT.COM

- Universal magnet-holders guaranteed to organize workshop surroundings, avoiding trip hazards.
- High end Neodymium magnets.
- Rubber coated surface avoids scratches and is oil resistant.
- 2 pack (91mm) and 4 pack (51mm) available.



PRODUCT CODE	PRODUCT DESCRIPTION	PRICE
04572000-ORANGE	2 Pack- 91mm	£39.99
04572000-BLUE	2 Pack- 91mm	£39.99
04572000-GREEN	2 Pack- 91mm	£39.99
04574000-ORANGE	4 Pack- 51mm	£39.99
04574000-BLUE	4 Pack-51mm	£39.99
04574000-GREEN	4 Pack- 51mm	£39.99



08522500 Master Hub Puller Plate Kit

- Universal hub puller plate with 8 slots for maximum
- coverage Full kit with all options.
- Hydraulic / slide hammer
- / force screw. Supplied in metal tin.
- f799.95





£449.00



M12 HIGH SPEED RATCHET 3/8 KIT

12V Fuel cordless high speed ratchet with 1x 2.0Ah battery. With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user. REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load. Comes supplied with M12 B2 battery pack, C12 C charger, and a tool bag.

- 19mm Low profile head design gives the user better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool
- The industry leading FUEL technology combined with a reinforced mechanism for greater durability
- Rubber overmold withstands most corrosive materials and provides increased comfort
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time
- Fastening and removing of 210 M8 bolts with one battery charge M12B2 for all day work
- REDLITHIUM[™] battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Flexible battery system: Works with all MILWAUKEE M12 batteries

Specification:

- Aricle number: 4933478809
- Battery type: Li-ion
- Length (mm): 272

M12FHIR38-0 (TOOLONLY) M12FHIR38-201B (KIT £124.95 £204.95

MILWAUKEE M12 FUEL 3/8" EXTENDED REACH RATCHET

Milwaukee

The Milwaukee M12 Fuel Extended Reach Ratchet is designed to access hard to reach fasteners. Ideal for working in engine bays where space is limited, such as timing covers, manifolds, exhaust flanges, and any items that a conventional sized ratchet or impact gun is unable to reach. With 75Nm of torque, lightly corroded nuts and bolts can be removed easily, greatly improving job time and avoiding the strain and discomfort that is often encountered when using a manual ratchet or spanner.

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL[™] technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces
- Variable speed trigger provides ultimate control of the tool
- Premium rubber overmold withstands corrosive
 materials and provides increased comfort when in use
- The LED light illuminates the work area while the onboard fuel gauge displays remaining run time
- The DNA of our FUEL[™] platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE[™] brushless motor, REDLITHIUM[™] battery pack and REDLINK PLUS[™] electronic intelligence delivering outstanding power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M12[™] batteries
 - Supplied with 1/4" adaptor



MILWAUKEE AUTOMOTIVE POWER PACK INCLUDES 1/2" HI-TORQUE & 3/8" STUBBY IMPACT WRENCH WITH 4 BATTERIES, CHARGER AND CASE

maukee

M18 FUEL M12 FUEL

6.0

MWM18FPP2AE-564P

5.0 .

- M18 Hi-Torque Baseline Impact Gun with 1898Nm of nut busting torque and 1354Nm of fastening torque as above.
- M12 Stubby 3/8" Impact Gun with 339Nm maximum torque in a super compact size of only 121.9mm length.
- Brushless POWERSTATE™ motor delivers more power in a more compact size.
- REDLINK PLUS[™] Intelligence system delivers advanced digital overload protection for tool and battery, and uniquely enhances the tool performance.
- REDLITHIUM[™] ION battery pack provides superior pack construction, electronics and fade free performance to deliver more run time and more work over pack life.
- Includes 2x M18 5Ah, 1x M12 6Ah, 1x M12 2Ah batteries & M12/M18 charger

WELZH WERKZEUG



£545.00 4589-WW

- Specially designed by WELZH to combine vibrations & Pneumatic force to allow for the easy removal of seized injectors.
- Comes complete with a universal adaptor set that cover Bosch, Delphi, Denso and Siemens CR injectors which have solenoid coil or screw
- connections

Covers 99% of injectors.





VARIOUS SIZES I N C L U D E D

MASTER INJECTOR SERVICE KIT SCH, DELPHI, DENSO, SIEMENS

UNIVERSAL COVERAGE

£174.95 3880-WW

- Exclusively designed by Welzh Werkzeug for the complete service of injectors. Used to clean and de-carbonise injector seats when changing injectors Kit Includes:
- 14 x 14 mm Flat Reamer, 15 x 19 mm Flat Reamer, 15.5 x 15.5 mm Flat Reamer, 15.5 x 15.5 mm Angled Reamer, 17 x 17 mm Angled Reamer, 17 x 17 mm Flat Reamer, 17 x 17.5 mm Flat Reamer, 17 x 19 mm Flat Reamer, 17 x 19.5 mm Flat Reamer, 17 x 20 mm Flat Reamer, 17 x 21 mm Angled Reamer, 17.5 x 20.5 mm Angled Reamer, 19 x 21.5 mm Flat Reamer, Pilot Hex Post 19 x 170 mm, 15.5 x 250 mm Cutter, 2.5 mm Hex Key, T-handle, & X wire brush. Includes the 1189-WW copper washer remover.





ENSO

4577-WW £114.95

Damage Free Restoration: The removal of the NOX sensor usually causes Damage Free Restoration: The removal of the NOX sensor usually causes damage to the threads. A normal tap is too long and can easily be placed at the wrong angle, causing an incorrect mounting position of the new sensor within the exhaust. The damage can also be caused by the high variation in temperature and carbonization. The WELZH kit allows for damage free restoration of the NOX sensor hole thread, with the alignment guides ensuring it is at the correct angle.

Extra Short: Can be used with a socket or ratchet for hard to reach areas. Time & Money Saver: No need for a new exhaust system.

Universal: For diesel particulate filter, any exhaust sensors, and those in a catalytic convertor.



S

unin





JANUARY - MARCH 2023

WELZH WERKZEUG



0.0.0

0

32 PIECE MASTER TWIST SOCKET REMOVAL SI

44452-WW £134.95

Specially designed to remove stripped, damaged and broken nuts,

bolts, hex, screws, etc. Innovatively engineered to easily extract, even if they are stripped, rusted, or rounded.

Supper, rested, or rounded. Super Grip Extraction: Due to the unique Welzh design, compared with traditional socket removers, it has helical teeth that grip and won't let go; the more you turn, the tighter the socket grips! Meaning no more slipping or busted knuckles. Contents Include:

- 1/4"Dr: 6mm, 6.2mm, 6.5mm, 6.7mm, 7mm, 7.2mm, 7.5mm, 7.7mm, 8mm, 8.2mm, 8.5mm, 8.7mm, 9mm, 9.2mm, 9.5mm, 10mm.
- 3/8"Dr: 6mm, 8mm, 10mm, 10.5mm, 11mm, 12mm,
- 12.5mm, 13mm, 14mm, 16mm, 17mm, 18mm, 19mm. Also Includes:

1pc 3/8" Hex Adaptor. 1pc 1/4" Hex Adaptor.

1pc Knock Out Pin.

THE HARDER YOU TURN THE TIGHTER IT GRIPS

INTELLIGENT BATTERY TESTER WITH PRINTER 6-30V DC

44151-WW £204.95

ned with advanced conductive testing technology with a built in printer. Quickly and accurately measures the actual cold starting current of the starting batteries in various vehicles.

Ideal for detecting common starting failures and checking the battery health condition. Tests all automotive cranking lead acid, ordinary lead acid, AGM flat plate, AGM spiral, and gel batteries.

Reverse connection protection: when connected the tester is protected from damage, as well as the vehicle and battery.

G BRAKE & CLUTCH LSAIIN NCLUD ED

4266-WW

£849.95

Controlled by a micro processor unit which controls the fluid pressure, fluid flow, and working time accurately. The high level of automation allows for single person operation, it is convenient, time and labour saving. WELZH 4266-WW represents the highest technology in the automotive maintenance field. This product is widely used and suitable for the replacement of various kinds of brake fluid.

Effective: Air inlet contains a filter that separates water and air to prevent fluid mixing with other substances. New & used fluid flow through different pipelines to prevent cross contamination. Extends service life and improves braking system performance.

Applications:

Can be used on a range of vehicles including Mercedes-Benz, Nissan, Hyundai, & many others. Adjustable Control Panel:

- Provides user control over pressure, pulse, & time.
- **Other Specifications**
- Corrosion resistant fluid hose.

Trolley wheels for easy transportation. Hook for storing hose.

Stainless steel fluid pot.


Features Input voltage: DC 12V.

Power: 100W.

Fluid change speed 0.5-1/min. Pressure range: 0.6-3.5 bar. Maximum volume: 5L. Power cord length: 4m.

Includes master adaptor kit.







3/8" Dr

1/4" Dr



DRAPER TOOLS





3T TROLLEY JACK BLUE

Fitted with hardwearing nylon wheels with rear swivelling castors, for quiet operation and to prevent damage to floors.

- Integrated rubber saddle pad prevents damage to underside of vehicle
- 75-505mm Lifting range
- Twin piston pump for fast lift
- Low profile design

£159.95

Stock Code. 28481



UNIVERSAL PRESSURE TEST KIT 2

Kit includes a pump with gauge and release pin for depressurisation prior to detachment, four system adaptors and ten radiator cap testing adaptors for use on a wide range of vehicle applications.

- Cone adaptors may be used to replace both screw and bayonet-type cap fittings
- Supplied in a sturdy, blow-moulded plastic case

£119.95

Stock Code. 21439



10-14AMP 12/24V BATTERY CHARGER

Suitable for conventional lead acid batteries up to 200Ah.

- Insulated copper leads and battery clips
- · Convenient cable storage
- Integral carry handle
- Dimensions: 290 x 250 x 245mm
- Weight: 6.2kg

£61.95

Stock Code. 52965



EVOLUTION CREEPER

This limited edition steel creeper is ideal for professionals or enthusiasts. Prolonged service life is guaranteed thanks to the heavy-duty 500mm wide steel frame, which includes a padded headrest and high-density foam to deliver superior comfort. Easyto-clean oil-resistant PVC cover. Six polyurethane castors ensure quiet and smooth motion and rotate 360°. Chrome-plated finish and Black & Evolution graphics really make this creeper stand out from the crowd. Lifetime Warranty (excluding wheels)

- · Capacity: 180kg
- Frame length: 1120mm
- Frame width: 500mm
- Frame height: 200mm
- Foam thickness: 35mm
- Wheel quantity: 6pcs
- Nett weight: 11.0kg

£139.95

Stock Code. 99834



TRANSMISSION JACK 600KG

Hydraulic vertical transmission jack with a telescopic ram.

- · Fitted with a twin-piston 'Quick Lift' facility and a safety overload valve for added user protection.
- Operated via a foot pedal for hands free operation.
- Hardwearing nylon wheels help prevent damage to garage floors, delivering a quieter and smoother operation.
- Side-mounted handles aid positioning and increase manoeuvrability around the workshop or garage.

Stock Code. 70668

Expert quality

£279.95



ULTRASONIC CLEANING TANK 9LTR

Ultrasonic cleaning is based on the effect caused by high-frequency wave vibrations in the fluid.

- · Fluid agitation provides an effective scrubbing action on the surface of the items being cleaned.
- · New high-performance transducers.
- Supplied with a stainless-steel basket and lid and fitted with drainage tap.
- Touch screen control panel with LED display.
- Expert quality
- Tank size: 300 x 240 x 150mm
- Overall size: 330 x 270 x 310mm
- Temperature setting: 0-80° C •

£439.95

Stock Code. 92635

WE'RE FULLY EQUIPPED TO ASSIST ... 16

DRAPER TOOLS





EXPERT 18PC ALTERNATOR PULLEY TOOL KIT

The comprehensive kit can be used to remove alternator freewheels on popular european car marques either on or off the engine.

- · For removing alternator freewheels.
- Includes various Hex, Spline, Torx, stepdown and hollow adaptors.
- Expert quality
- Supplied in a blow mould case

£68.95

Stock Code. 31921

Stock Code. 32027



127PC TOOL KIT

£159.95

Premium-quality kit includes a vast selection of commonly used tools for the workshop or mobile mechanic. Manufactured from high quality chrome vanadium steel, correctly hardened and tempered. Featuring many hand tools including 1/4" and 1/2" Sq. Drive 72-tooth reversible ratchets with soft grip handles, plain slot and PH type screwdrivers, combination spanners, spinner handle, side cutters, combination pliers, long nose pliers and more. Plus, a wide range of Draper HI-TORQ® and MULTI-DRIVE® sockets and spanners.

• Supplied in a reinforced lockable case with aluminium trim and two keys.



MANUAL PRESSURE BRAKE BLEEDER

Pump action manual brake bleeder, fitted with

pressure gauge, release valve and spring loaded

Supplied with 1m (approx.) of flexible hose.

be bled using suction methods.

2L Clean brake fluid capacity.

Ideal for one person operation on vehicles unable to

Stock Code. 22495

Stock Code. 29355

hose coupling.

£71.95

.

50L V-TWIN OIL COMPRESSOR

Suitable for workshop and on-site use.

- V-Twin cylinder cast iron pump
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge.
- Two quick Euro coupling outlets.
- Fitted with wheels and transport handle.

£289.95



MASTER COMPRESSION KIT - P&D

Compatible with most motorcycles, cars, light commercial vehicles and marine engines.

- Large dual reading pressure gauge, 0-600psi/0-40bar. Fitted with a heavy duty rubber protector.
- Fitted with a spring-loaded pressure relief valve and integrated Schrader one way valve system.
- Anti-kink coil attached to either end of the flexible hose.

£199.95

Stock Code. 35886



AXLE STANDS (PAIR) 3 TONNE

Ratchet type axle stands with a 6000kg capacity per pair / 3000kg per stand (SWL).

- Large saddle (34 x 90mm)
- Min. height 288mm/Max. height 435mm
- Ratchet-type action

£41.95

Stock Code. 30881

SEALEY



SEALEY







JANUARY - MARCH 2023

SERENCO

SERENCO

4x Vehicle Skates + Free Rack

The FREE space saving rack turns one s in to a manoeuvrable trolley for all skat

- Bundle includes 4x vehicle skates with a combined weight capacity of 2.25T
- Can accommodate tyres up to 11" wide Heavy duty black nylon castors allow
- for a smooth move on most surfaces



2.257 Aluminium Trolley Jack

- 100-470mm lift range Twin piston lift with
- universal joint Heavy duty steel wheels
- Safety descent valve



ET Rapid Life Trollay Jack

- 75-500mm lift range
 Twin piston lift with universal joint
- Easily accessible lift arm grease nipples Rubber saddle pad Top & bottom folded frame



2.57 Low Entry Trolley Jack

SERENC

serious tools > serious results

FREE Rack

worth

£28,95


- Low entry height from only 75mm
- 75-500mm lift range Foot pedal for rapid, easy lifting
- Nylon wheels for smooth movement
- Safety descent valve
- Top & bottom folded frame





ΥAZ.

SERENCO



10T Auto Body Repair Kit

SEREN(

The complete Master Kit!

- Manual hydraulic pump with 130mm stroke

serious tools > serious results

Supplied in wheeled storage case



Featuring a massive internal frame with a 730mm bed width! 88-1048mm working range \bigcirc HURRICARE clude VAT. Carriage charge All pri

LASER TOOLS/TOOL CONNECTION

BRAKE DISC ADAPTOR SET -FOR FORD TRANSIT

Brake disc adaptor set designed to allow the Laser 7109 and 7122 kits to be used on post 2012 twin wheel Transits where the front disc mounting bolts are bigger (M12). The Laser 8249 provides the required adaptors to change the M10 studs PART NO. found in the 7109 and 8249 7122 kits to fit the M12 OUR PRICE threads in the brake disc. Use to remove the bearing/ disc assembly and separate the disc from the bearing.

- Applications include: Ford Transits RWD twin wheel (from 2012).
- Designed specifically for use with Laser Front Wheel Bearing Overhaul Kit (Part No. 7109) and Front Wheel Bearing/Disc Adaptor (Part No. 7122).

PART NO

7122

OUR PRICE

59.95

- Converts M10 studs to M12.
- Used for wheel bearing and disc assembly removal.

FRONT WHEEL BEARING/ DISC ADAPTOR -FOR FORD TRANSIT

Front wheel bearing/disc assembly removal adaptor kit for Ford Transit (from 2013).

 Applications: RWD Ford Transit front wheel bearings: late models (from 2013).

 Allows the safe removal of the front wheel bearing and disc assembly from the later RWD Ford Transit model (from 2013) where there is no centre hole through the bearing and therefore a standard force screw arrangement cannot be used.

• Also allows the separation of the disc from the bearing.

FRONT WHEEL BEARING OVER-HAUL KIT - FOR FORD TRANSIT

Front wheel bearing and disc removal tool for the Ford Transit (2000-2012) and Transit Custom (2012 on). Due to the design of this tool the bearing and disc assembly can be removed in a controlled manner allowing the disc to be separated from the bearing for replacement while saving the bearing for re-use.

- For the removal of the front bearing/disc assembly from the hub and separation of the disc from the bearing.
- Applications: Ford Transit from 2000 to 2012 and Transit Custom from 2012 on.
- For post 2014 Transits use 7122 with 7109 (available separately).

BALL JOINT REMOVAL & INSTALLATION TOOL - FOR FORD TRANSIT

LASER TO TOOL

- Designed to easily extract and refit the bolt-in style front lower ball joint found on the late model Ford Transit. The bolt-in Ford Transit ball joint is a very tight fit, even after the bolts have been removed. Removes the need to use heat, hammer blows or the workshop press.
- Applications include: Transit Bus (from 2013) and Transit platform chassis (from 2014).
- Use on OEM ball joints: 1451917 and KT6C113K209AA.

ø

 Suitable for bolt-in type lower ball joint only.





BALL JOINT REMOVAL/ INSTALLATION TOOL - FOR FORD TRANSIT

- Designed to be used in-situ, although many of these tools can also be used in a workshop press if circumstances require.
- Applications include: Ford Transit (2000 -2014), Transit Custom (from 2012), Transit (from 2012); all RWD and FWD (not 4x4 or HD suspension).
- Equivalent to OEM 204-288A.

OUR PRICE **£59.95**

PART NO.

6553

MADE IN SHEFFIELD

MADE IN SHEFFIELD

OUR PRICE

199.95

LOCK NUT SOCKET -FOR FORD TRANSIT

- Specifically designed for the castellated lock nuts used to hold the wheel bearings in place on the rear axles fitted to RWD type 34 axles.
- Applications: Ford Transit 80, 100, 115 and 120 with type 34 rear axles.
- Lock nut socket in 1/2"D x 60mm ID.

BRAKE DISC REMOVAL TOOL - FOR FORD TRANSIT

- Removes the front brake discs without damaging the bearings on FWD and RWD Ford Transits.
- Applications: Ford Transit (from 2001).
- OEM Code 204-345B.

OUR PRICE

PART NO.

REAR HUB NUT SOCKET -FOR FORD TRANSIT

- Required for the rear Hub Nuts on Ford Transit (from 2014).
- 19mm Hex drive.
- Equivalent to Ford OEM 205-1007.
- Alignment tube to ensure the socket works directly onto the slotted nut.





22 WE'RE FULLY EQUIPPED TO ASSIST...

THERMOBILE

THERMOBILE

mobile climate solutions

THERMOBILE: The leaders in efficient Workshop Heating

Manual Ignition Bio Oil Heaters with Flue Kit

- Fast return on investment
- · Efficient, virtually soot-free combustion
- Burns used oil, diesel or a combination • Built-in fuel tank, filters & fuel pump
- Flame failure protection
- Overflow protection for burner dish
- Overheat protection (except Bio B)

FLUE

KITS AVAILABLE

AT EXTRA

COST

- Includes complete flue kit (roof seal, fitting kit & two wall bands)
- Bio Energy 2 & Bio Energy 3 Feature a burner draw system for easier lighting and cleaning plus

a heat	exchange	r for	higher	efficiency	

Model	Heat Capacity Min (Btu/hr)	Heat Capacity Max (Btu/hr)	Consumption (min)	Consumption (max)	Fuel Tank Capacity	Fan Capacity	Offer Price	5 year lease pw
Bio Energy B	68,000	102,000	2 litres/hr	3 litres/hr	50 litres	Radiant Heat Only	£1,595.00	£8.47
Bio Energy B Thermo	68,000	102,000	2 litres/hr	3 litres/hr	50 litres	1000 m³/hr	£1,895.00	£10.06
Bio Energy 1	68,000	102,000	2 litres/hr	3 litres/hr	50 litres	1000 m³/hr	£2,350.00	£12.47
Bio Energy 2	85,000	146,000	2.5 litres/hr	4.3 litres/hr	55 litres	3000 m³/hr	£2,995.00	£15.90
Bio Energy 3	130,000	210,000	3.8 litres/hr	6.2 litres/hr	55 litres	3000 m³/hr	£3,195.00	£16.96

LEASE FROM ONLY

- £8.47
- Bio Diesel Oil • HVO Processed Fuel Oil (PFO)
 - Rapeseed, linseed & some Vegetable oils

These heaters also operate on these fuels:

Manual ignition Bio Oil heaters must be connected to a suitable flue system (min height of 1m above roof apex & 6m above ground level). A full range of flue accessories is available.

No space for a bulk fuel tank? **PROHEAT** is your solution!

PROHEAT Oil Fired Cabinet with built-in Fuel Tank

 Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel) Low-noise radial fan

Proheat 30 & 60: 240V Proheat 100: 400V Equipped with thermostat

A MONTHLY BAS 4-Sided adjustable outlet opening guarantees equal air distribution Summer/winter circuit for • Capacities of 30, 64 and 97kW net heating/ventilation

LEASE FROM ONLY

£15.13

per week. 5 Year Term

THE REAL	
SWIVEL	
HEAD KIT AVAILABLE AT EXTRA COST	ERP2018 COMPLIANT

Suspended Unit Heaters

• Oil Fired: heat capacities 31kW to 98kW

Gas Fired: heat outputs 15kW to 84kW

Four M10 suspension points provided

Suspend or mount (on a suitable

with roof or wall flue exit

non-combustible support)

Free-blowing or

ducted models

(in most areas)

Installation service

Heating Oil, Natural Gas or Propane

ERP2018

COMPLIANT

Model	Nett Heat Output (Btu/hr)	Max kW	Consumption (L/hr)	Air Flow (m3/hr)	Tank Capacity (L)	Offer Price	5 year lease pw
PROHEAT 30	104,000	30.4	3.4	1900	55	£2,850.00	£15.13
PROHEAT 60	221,600	64.4	7.2	4500	75	£3,195.00	£16.96
PROHEAT 100	333,352	97.7	10.5	8800	-	£4,495.00	£23.86
PROHEAT 100 fuel tank	-	-	-	-	100	£455.00	n/a

Please note: Pro Heat 30 & 60 come with built-in integral tank as standard. Pro Heat 100 built-in tank optional at extra cost.

KITS VAILABLE

EXTRA

COST

PSO Oil-fired Cabinets

Connects to a Bulk Fuel Tank

- Use with 28 second fuel (paraffin/kerosene) or 35 second fuel (heating oil/diesel)
- 13 Models heat outputs up to 381kW (1.3M Btu/hr)
- Combustion air inlet kit as standard Thermostat, time control, oil filter and
- fire valve
- Main fan filter kits available for dusty/hazardous spaces
- Also available: Stainless Steel Flue Kits ask for details

Model	Nett Heat Output (Btu/hr)	Offer Price	5 year lease pw	
PSO 30	102,000	£3,895.00	£20.67	
PSO 45	153,000	£3,995.00	£21.20	
PSO 60	205,000	£4,495.00	£23.86	
PSO 90	307,000	£4,750.00	£25.21	
PSO 120	409,000	£5,295.00	£28.10	

PRICES SUBJECT TO CHANGE DUE TO COMPONANT & RA MATERIAL PRICES CHANGING ON A MONTHLY BASIS

Call your local branch for all your heating needs

*Waste Oil is subject to licensing control: Heaters burning Waste Oil fall under Chapter IV of the Industrial Emissions Directive (IED) A relevant permit is required under Schedule 13A of the Environmental Permitting Guidance (EPR). Full details at www.thermobile.co.uk, under 'News

ERP2018

COMPLIANT

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

Stainless Steel Flue Kit INCLUDED: Gives approx. 5.2m (17ft) ground clearan 4 x 1m flue pipes 1 x Termina • 2 x Adjustable wall fixing brackets

FLUE

KIT

1 x High temperature silicone rubber roof seal & fixing kit for profiled or corrugated roof & cladding

THEMORY

• 1 Tee-Piece (flue to heater) Additional 1m flue pipe available

15

CHOOSE

OIL OR GAS-

FIRED

Huge

Range Call your local

branch to arrange a

site visit to specify

the right model for

our space & budget

<u>Híckleys</u>



24 WE'RE FULLY EQUIPPED TO ASSIST...



TYRE SERVICE PACKAGES

GOLD

Dama HDM189S + AA390H with 3rd Arm Assist

A hugely powerful and full spec tyre changer for high volume workshops, this fully auto machine offers a twin speed, very large 28" turntable, air tank for tubeless inflation, pneumatic tilt back, 2 position bead breaker, 2 position rim width adjustment, alloy protection and comes complete with inflator, gauge, lever & bucket. As an option this tyre changer can be selected with a leverless hook head for greatest ease of use.

Dama HDMB3020B Wheel Balancer

This balancer is fully automatic offering an informative LCD screen with step by step guide. All around measurement including width and diameter with a 10 Max wheel diameter - 1100mm second spin time. It has static & dynamic balancing with Wheel width - 1.5" - 20" measurement including width and diameter with a 10 5 alloy programs and a smart program that selects all necessary measurements. Includes brake for accurate weight fitting.

Specification

Max wheel diameter - 1100mm Rim size inside - 15" - 28" Rim size outside - 13" - 24" Wheel width - 3" - 14" Twin speed - 0.85kw/1.1kw 2 position bead breaker 2 position rim width Power supply - 400v/3ph

Specification

Balancing Time - 10s

Power supply - 230v

Rim diameter - 9.5" - 28"



£3595.00 £19.50pw (5 yrs) Add £995 for leverless



HDM189/AA390H & HDMB3020B

PACKAGE

£4995.00 £27.09pw (5 yrs)

Including leverless £5990

Dama HDM189S + AA390H with 3rd Arm Assist

A hugely powerful and full spec tyre changer for high volume workshops, this fully auto machine offers a twin speed, very large 28" turntable, air tank for tubeless inflation, pneumatic tilt back, 2 position bead breaker, 2 position rim width adjustment, alloy protection and comes complete with inflator, gauge, lever & bucket. As an option this tyre changer can be selected with a leverless hook head for greatest ease of use.

Dama HDMB79 Wheel Balancer

The top of the range balancer with automatic measurement and 8 second spin, complete with a full graphics TFT screen and step by step guide. The balancer has a wide selection of programs including spoke, hidden weight, split weight and smart program. In addition the balancer has an automatic brake and laser pointer for maximum accuracy.

GOLD PLUS

Specification Max wheel diameter - 1100mm Rim size inside - 15" - 28" Rim size outside - 13" - 24" Wheel width - 3" - 14" Twin speed - 0.85kw/1.1kw 2 position bead breaker 2 position rim width Power supply - 400v/3ph

Specification

Rim diameter - 10" - 24" Max wheel diameter - 1100mm Wheel width - 1.5" - 20" Balancing Time - 8s Power supply - 230v

OPTIONS

£370

£355

£465

f485



2 YEAR WARRANT

£3595.00 £19.50pw (5 yrs) Add £995 for leverless

HDMB79 £2295.00 £12.45pw (5 yrs)

HDM189/AA390H & HDMB79 PACKAGE 5395.00 £29.26pw (5 yr

Including leverless £6390



HDM70 Pedal controlled air operated £795 wheel lifter for tyre changers

Tyre changer motorcycle adapter

Large lveco cone (95-175mm) and adapter

Centerless wheel adapter

Wheel balancer motor cycle adapter



Tyre Changer Starter Kit

Weights for Steel & Alloy wheels, tubeless valves (2 sizes), fusion round tube repair, plug patch, fast dry cement, bead sealer, pre-buff cleaner aerosol, skiving knife, tyre mounting paste, spiral cement tool, stitcher, blue nitrile powder free gloves, plastic mounting tool and spherical rap golf ball



Dama HDM4200 - 2 Post Lift

A hugely popular lift with a 4.2T lifting capacity & flexible 3 stage arms, giving excellent coverage for cars, vans & 4x4s. This lift is ideal for good level floors and has a small drive over frame between the posts.

Features

4.2T Capacity Small drive over floor frame Electro-hydraulic operation Electronic locking system Twin cylinder & chain system 3 Stage symmetric arms Low pick-up height 115mm Available in single & 3 phase 2 year warranty Includes 4 x 65mm pad extensions



HDM 4200 £2695.00 £14.62pw (5 yrs)

2 YEAR WARRANTY

£3295.00

Dama HDM4200SB 2 Post Lift

One of the most popular lifts in our range, providing top quality features at an excellent price. An ideal service lift with baseless design allows equipment to be manoeuvred beneath the lift. It has a lifting capacity of 4.2 tonnes & gives full flexibility for cars, 4x4s and vans. This version gives the added flexibility of 3 stages on all 4 arms, including 80mm rise extension pads.

Features

4.2T capacity Clearfloor baseless design Two chain driven pistons Synchronization steel cable 3900mm Inner clearance Electromagnetic lowering valve 2 Height switches, one for car & one for carriage Available in single & 3 phase

Dama HDM6.0T/SB2H - 2 Post Lift

HDM4.0T/SB

This 6 tonne lift has a huge lifting capacity at an amazingly low purchase price. Ideal for many light commercial workshops with 2 different height options. It can be installed at an external height of 4400mm or 4700mm. Flexible, baseless design, ideal where equipment needs to be manoeuvred beneath the lift. Inner height of 4230mm or 4530mm, giving full flexibility of lifting vehicles from large cars, 4x4s and large vans to small trucks. Comes complete with 1800mm 3 stage arms.

Features

2 YEAR WARRANTY Electro hydraulic operation Synchronization steel rope Electromagnetic lowering valve Electric lock release 2 Height switches, one for car and one for carriage. Min height 123mm - 178mm 3 Phase only Comes with 4 x 67mm & 4 x 127mm extensions



Dama HDM4000H 2 Post Lift

Ideal service lifts with a lifting capacity of 4 tonnes and can be installed on variable surfaces. Comes complete with 2 x 3 stage arms and 80mm riser extension pads.

Features

H-Base for better adaptation to most types of floors 4T Lifting capacity Minimum height 107mm Maximum height 1870mm Includes 80mm height extensions Electric lock release Available in single & 3 phase 2 year warranty 3 Stage extending arms both front and rear for greater flexibility and vehicle coverage



£16.24pw (5 yrs)

Dama HDM5.0T/1 2 Post Lift

Excellent lift for 4x4s, large vans & motorhomes. Semi-base design with a small cover between the posts and side bracing arms for maximum rigidity No overhead gantry, the lift is ideal for working on varving sized vehicles and is perfect for garages with restricted height. Triple extending arms extend from 886mm to 1800mm long, with adjustable lift pad height of 110mm to 150mm.

Features

5t Lifting capacity Electro hydraulic operation Semi-base design with side braces Electronic lock release Triple ext. arms 886mm to 1800mm Lifting time 60 seconds Pad height min 110mm max 150mm Available in 3 phase only





Dama HDM2.5Y - Mobile Single Post Lift - Fixed Single Post Lift

A superbly versatile, mobile or fixed single post lift with a 2.5 tonne lifting capacity. This lift is easily manoeuvred around the workshop with a built-on trolley style handle and large wheels, or alternatively bolted down. Electro-hydraulic operation and single phase, the lift has a low 115mm minimum height and comes complete with 50mm and 100mm extensions

Technical Specification

Total height 2600mm Total width 2122mm Total length 2577mm Lifting height 115mm - 1760mm Extensions 50mm & 100mm Power supply 220V/1ph/50Hz/2.2KW Lowering time 53 seconds

Easily converted from mobile to fixed



£25.46pw (5 yrs)





HOFMANN MEGAPLAN

🎽 ноғталп тедаріал



HOFMANN MEGAPLAN

EDGE 2D Wheel Balancer

Compact, Italian designed wheel balancer guick and easy to use with 2D semi-automatic data input. Suitable for car and light commercial wheels (additional adaptors required for LCV).

- Motorised wheel balancer
- 40mm Shaft
- Semi-automatic (2D) data input

- Weight placement arm
- 3 Year warranty (subject to servicing)

with a FREE leverless upgrade!

Packag

EDGE 20

01

Training 8

Warranty

This great value Hofmann Megaplan tyre package is the perfect choice for anyone looking to get into tyres, combining highly capable equipment that has the capacity to support your tyre business as it grows.

5YR LEASE £30.23pw

EXCLUSIVE! Tyre Changer & Wheel Balancer Package

megamount EDGE Tyre Changer A premium quality tyre changer which will meet the demands of busy workshops. Combines a unique bead breaker with 'megafit 2D' assist making this an ideal machine for the toughest of tyres.

- 12" to 26" clamping
- 'Tapered' turret and oversized column
- assembly provides maximum rigidity Removable pedal box for easy 'in-house'
- maintenance
- Pedal inflation

- Can be supplied in traditional lever or leverless design
- Built in the UK
- Available in 1ph or 3ph
- Includes delivery, installation and comprehensive on-site training
- 3 Year Warranty (subject to servicing)



Evolution Device to convert standard machine into leverless operation

EQUIPMEN R



🛃 НОҒМАЛЛ МЕБАРLAN

HOFMANN MEGAPLAN

EXCLUSIVE Wheel Alignment Package Deals



JANUARY - MARCH 2023

GEMCO





INC INS

E3,095.00 Lease from

£16.43 PW 5 Year

2 Year

Warranty*

HE GARAGE FOX JOMENT & MAINTENANCE COMPANY

TALLATION

,**475.00**

Lease from

£18.44 PW 5 Year

£2,575.00

Lease from

E**13.67** PW 5 Yeai

DESIGNED IN

NEW BRADBURY SCISSOR LIFT

The Bradbury H8935MG/1 is our newest addition! An electro-hydraulic mobile, short-rise scissor lift with a 3.5t capacity. Features include:

- Double hydraulic system with two cylinders under each scissor system, meaning no compressed air and no safety ratchet needed!
- Leverage of full 3.5 tonne capacity from lowest position.
- Mechanic synchronization through cross-bars.
- Sturdy scissor construction for high directional stability.
- Base-frames, platforms and ramps galvanised as standard.
- Mobile kit and rubber blocks included as standard.

*Subject to maintenance at the manufacturer's recommended intervals.

The Dunlop DL240+ Two Post Electro-hydraulic Lift features a large 4 tonne lifting capacity and is suitable for cars and vans (excluding LWB). Available with a choice of single or three phase motors at no extra cost. A solid H Baseframe model (DL240B+) is also available, please see below.

- Available in Single & 3 phase
- Lifting capacity 4 tonnes
- Lifting time 40 seconds
- Minimum height 100mm
- Lifting Height 1976mm
- Distance between posts 2800mm
- Overall width of lift 3520mm
- Front arms (3 stage) 722mm 1360mm Rear arms (2 stage) 920mm - 1467mm
- Warranty 12 months parts & labour*
- Optional Extras Pad Extension Kit 2 sets, 80mm & 150mm (Part Number 99991306)
 DL240B+

DL240B+ Solid H Baseframe model also available **£2,950.00** Lease from £15.66 Pw 5 year.

Same features as the DL240+ but with solid H Baseframe for extra stability.

HALF PRICE OPTIONAL LIFT PAD EXTENSIONS, 2 X SETS, 80MM & 150MM, ONLY £99 WHEN ORDERED WITH THE LIFT, USUAL PRICE £199, SAVE £100.

FREE LIGHTING KIT

WORTH OVER £340 WITH DL240B+

ade

^{*} Warranty subject to maintenance

RADBURY

HE GARAGE EQUIPMENT & MAINTENANCE COMPAN

H4403SL+

£5,595.00

Lease from

£29.70 PW 5 Year

H4403WL

£6,795.00

Lease from

£36.07 PW 5 Year

Both H4403SL+ and

H4403WL available in

single phase $+ \pm 360$

2 Year

Warranty*

GEMCO

H4403SL+ & H4403WL Electro-hydraulic Four Post Lifts

FREE

TURN-PLATES

With alignment

model (H4403WL)

NEW BRADBURY FOUR POST LIFTS

These new 4 Tonne, 4 post, Electro Hydraulic lifts offer traditional Bradbury build quality at an amazing price. Made in Italy, the lifts are available either as a standard Service Lift or a Wheel Alignment option, which includes rear slip plates. Ideal for both busy service bays and tyre shops, they are designed to be functional and versatile.

- Capacity 4 Tonne
- Platform length 4.8m
- Minimum height 126mm (Service model), 180mm (Alignment model)
- Max platform height 1960mm
- Lift/lowering time 34s
- 3 Phase, single phase versions available
- Power supply 3 Phase 16a isolator Alignment version (H4403WL) includes Rear Slip Plates & recess for turnplates
- Optional jacking beam not included

Tyre Package





WC5301+WCAA+WC5521i RADBURY

This tyre package comprises the best selling tyre changer and wheel balancer in the Bradbury range.

The WC5301 tyre changer comes complete with an assist arm, designed to aid the user in changing run flat and low profile tyres with ease.

Handling wheels up to 26" clamped internally, 23" external, the WC5301 is the ideal tyre changer for the majority of UK vehicles.

The Bradbury WC5521i Advanced Electronic Wheel Balancer features advanced Italian software with 7 different ALU modes and is suitable for wheels of up to 28". The machine has a hidden (split) weight feature, which means weights can be hidden behind the wheel spokes.

Join the 1000's of customers already using this equipment today!

Tried, tested and built to last, this package is backed up by a 2 year parts and labour warranty!*

The complete package, with no hidden costs!

All equipment is built up and tested prior to despatch. Price includes delivery, installation and commissioning by a qualified Bradbury engineer

*Subject to maintenance at the manufacturer's recommended intervals



JANUARY - MARCH 2023

TECALEMIT

MOT AUTOMATED TEST LANES (ATL)



LED Matrix Display, Full Installation Frame, Pneumatic Jacking Beam, Floor Strike Plates, Headlamp Beam Tester Upgrade, and Lift Platform Checker Plate Finish **from just [£]3,199**

TECALEMIT

Celebrating 100 years of Tecalemit

NEW: TIROPLUS Tyre Changer & Wheel Balancer Special Offer!

PLUS PACKAGE



32 WE'RE FULLY EQUIPPED TO ASSIST...

Tester Full Installation Frame

from just £1,249

PACKAGE

TECALEMIT



WHEEL ALIGNMENT SYSTEMS

- Laser, CCD or 3D* Choice to suit your workshop configuration
- Suitable for wheel sizes from 12" 24"* -Suitable For Car & LCV
- Measures front & rear toe, total toe, set-back and rear axle thrust line* - All four wheels
- Measures camber, caster & SAI* More than just toe out & in
- Colour printout* Alignment settings for customers

MODEL SHOWN: GTR/400/SERIES

2 POST LIFTS

- · Low lift pad height of just 90mm.
- 2 stage asymmetric arms for lifting a wide range of vehicles.
- Slimline and full base frame options to suit workshop floor.
- Accurate Positioning System (APS) for precise lift height adjustment

MODEL SHOWN: AZUR42CH

4 POST LIFTS

- Available in a range of lifting capacities and platform lengths.
- Surface or recess options.
- 3ph and 1ph options. Radius plates and jacking beam can be fitted for MOT requirements on selected models.*



From only

6,699

5yr Lease

£35.56pw

F/9436/SR

Model	Wheel Alignment Configuration
GTR/400/LITE	Laser aligner with wall storage brackets
GTR/400/PRO	As GTR/400/LITE + turnplates and steering wheel clamp
GTR/420/W	Wall mounted laser aligner with charging station
GTR/430	Trolley mounted laser aligner with AUTODATA
GTR/3020	Full 4 wheel 8 camera CCD wheel alignment system
GTR/8400	3D computerised 4 camera wheel alignment system

*Model Dependent Specification

Model	Capacity	Pad Height	Platform Length/Configuration
AZUR42CH	4.2t	90mm	Hydraulic with Semi-Baseframe 3ph
AZUR42CH/BASE	4.2t	90mm	Hydraulic with Full Baseframe 3ph
SF/9230	3.0t	95mm	Mechanical Baseless 3ph
SF/9010/H/32	3.2t	90mm	Mechanical with Baseframe 3ph
SF/9035	3.6t	100mm	Mechanical with Baseframe 3ph
SF/9224	4.0t	103mm	Hydraulic Baseless 3ph
SF/9025	5.0t	125mm	Hydraulic Baseless 3ph
SF/9100	5.5t	125mm	Hydraulic Baseless 3Ph or 1Ph

Model	Capacity	Min Height	Platform Length/Config
SF/9436/SR	3.5t	120mm	4.3m Shallow Recess Service Lift 3ph
SF/9006	4.0t	130mm	4.5m Compact Class IV MOT Lift 3ph
SF/9084	4.0t	165mm	5.0m Service Lift 3ph
SF/9250	5.0t	170mm	5.2m Service Lift 3ph (Upgradable for MOT use*)
SF/9257/NPD	5.0t	155mm	5.7m Service Lift 3ph (Upgradable for MOT use*)
SF/8976	SF/8976 6.0t		6.0m Service Lift 3ph (Upgradable for MOT use*)

*MOT upgrade requires additional jacking beam and radius plates. SF9006 will require the addition of jacking beam for MOT use but includes radius plates.

SCISSOR LIFTS

MODEL SHOWN: SF/9436/SR

- Short platform and full length options.
- Mid rise or full height options.
- · Surface or recess options.
- 3ph and 1ph options
- Wheel alignment or ATL MOT options.
- HGV options also available.



Model	Capacity	Max Height	Platform Length/Config
SF/9130/1/SI*	3.0t	930mm	1.4-1.9m Surface mounted 1ph
SF/8992	3.2t	1,945mm	1.4m Surface mounted 3ph
SF/8994	4.0t	1,900mm	1.5-2.0m Recessed 3ph
SF/9095/EV	4.5t	2,100mm	4.8m Recessed 3ph
SF/9065/EV	5.0t	2,100mm	5.2m Recessed 3ph
SF/9440	4.0t	2,180mm	4.8m Low Entry Surface Mounted 3ph

*SF/9130/1/SI is self-installation only.

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

5yr Lease 7.74pw STR/400/LITE

From only 1,459

rom only

TECALEM

ABSOLUTE ALIGNMENT



www.absolutealignment.co.uk

ARSOLUTE

ALIGNMENT


Bluetooth Pro Wheel Aligner

- 6 Camera CCD technolgy ADAS ready
- 24" Pro Wheel Clamps (no metal to metal contact)
- Use on 4 or 2 post lifts plus wheel free scissor lift
- Simple to understand before/after colour printout
- Smartphone/tablet app operation available
- VRM Number plate look up (Shoot & Go) option
- 12 Month warranty
- On-site training



PART No. **BTPRO**





Bluetooth 3D Wheel Aligner

- Towerless design releases workshop space
- · 3D Camera technology ADAS ready
- · 24" Pro Wheel Clamps (no metal to metal contact)
- VRM Number plate look up (Shoot and Go)
- Use on 4 post or scissor lift
- Simple to understand before/after colour printout
- Perfect for low vehicles •
- 12 Month warranty
- On-site training



AP AUTO

ΑΡ Αυτο







*MACHINES ARE SUPPLIED SUBJECT TO AVAILABILITY AND AP AUTO'S TERMS AND CONDITIONS. DELIVERY APPLIES TO UK MAINLAND ONLY. INSTALLATION AVAILABLE. 3-YEAR WARRANTY IS SUBJECT TO CONDITIONS – MACHINE MUST BE SERVICED ANNUALLY.



YMF CAR PARTS BRANCHES

WANT TO TALK ABOUT TOOLS & EQUIPMENT? PHONE YOUR LOCAL YMF BRANCH TODAY!

Branch	Address	Tel.
Harrogate	Unit i3b, Hornbeam Park Oval, Harrogate, HG2 8RB	01423 223940
Layerthorpe	62 Layerthorpe, York, YO31 7YW	01904 628828
Malton	Unit 5, Seph Way, York Road Industrial Estate, Malton, YO17 6YF	01653 602700
Poppleton	Unit 13, Rose Avenue, The Rose Centre, Nether Poppleton, YO26 6RX	01904 917280
Scarborough	Unit 1, Stadium Works, Barrys Lane, Scarborough, YO12 4HA	01723 413104
Selby	Unit 11A, Selby Business Park, Selby, YO8 8LZ	01757 403300

WWW.YMFCARPARTS.CO.UK EMAIL: SMART@YORKMOTORFACTORS.CO.UK

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED





Malton 01904 628828 01653 602700 YO17 6YF

YO31 7YW

Poppleton 01904 917280 YO26 6RX

Selby 01757 403300 YO8 8LZ

Scarborough 01723 413104 YO12 4HA

