



WE'RE FULLY EQUIPPED TO ASSIST... TOOLS AND EQUIPMENT FOR THE AUTOMOTIVE AFTERMARKET



VIBRATION MATE INJECTOR REMOVER FROM WELZH NEW ISMART DIAGNOSTIC UNITS FROM LAUNCH IEW PORTABLE UPER PRO SMART V CHARGER ROM GYS SEE PAGES 4 & 5 EV CHARG -. 7 a -0 SEE PAGE 12 **SEE PAGES 16 & 17**

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

CALL YOUR LOCAL YMF BRANCH TODAY



...

MALTON LAYERTHORPE Tel: 01904 628828 Tel: 01653 602700

POPPLETON Tel: 01904 917280 **SCARBOROUGH** Tel: 01723 413104

SELBY Tel: 01757 403300



.........

CONTENTS

WORKSHOP EQUIPMENT AND SPECIALIST TOOLS PAGES 3-13

-11-1

107F

TIRO

BATTERY MAINTENANCE WELDING, HEATING & CUTTING SPECIALIST TOOLS OIL DRAINAGE & EXTRACTION COMPRESSORS CLEANING & VALETING

AIR CON AND DIAGNOSTICS PAGES 14-23

AIR CON CHARGE STATIONS DIAGNOSTIC UNITS & TABLETS OSCILLOSCOPES TPMS UNITS BATTERY SUPPORT DIAGNOSTIC SOFTWARE SMOKE LEAK DETECTION

CAPITAL EQUIPMENT PAGES 24-35

WHEEL ALIGNMENT TYRE CHANGERS & BALANCERS MOT EQUIPMENT 2 & 4 POST LIFTS SCISSOR LIFTS ATF FLUID EXCHANGE MACHINES EMISSIONS ANALYSERS

TERMS & CONDITIONS

• Lease example: Launch X431 Pro 5 Plus - Offer price £1,895.00. 5 Year lease plan: Advance rental £43.59 + VAT, followed by 59 payments of £43.59 + VAT, weekly equivalent £10.06 + VAT. Set up and document fees apply, please ask for details.

T

- All lease rental prices shown are weekly equivalents assuming advance rental, equivalent to 1 month's rental and all subsequent rentals payable monthly.
- · Lease figures may vary according to status and are for illustration purposes only.
- All lease transactions are subject to a documentation fee.
- All prices shown are subject to VAT and subject to status.
- All offers are subject to availability and applicable to UK mainland only, certain postcodes may incur an additional delivery charge.
- · All offers available until September 30th 2023, prices and specifications subject to change without notice
- E and OE
- Any additional costs incurred concerning LOLER, PUWER and BS7980 regulations are the customer's responsibility.
- Installation is to a prepared site, excluding electrical installation. Please make sure your site meets the requirements for the equipment purchased, such as floor quality, concrete depth, power supply and access. If in doubt, please contact your local branch or the supplier.

WE'RE FULLY EQUIPPED TO ASSIST...

2

SYKES-PICKAVANT



• Add on kit for the 33100000 (Universal Digital

• Easily and safely test the diesel common rail pressure. · Precise and accurate test when used with the

SPEEDLINE6200 Trolley 12/24V AGM Booster Pack

- 2 x Super powerful 25Ah AGM batteries.
- · Features a telescopic handle and puncture-free wheels for easy manoeuvrability.
- Can be used as a 12V power source or memory saver.
- · Ribbed and durable chassis. Industrial-grade bronze angled clamps with short-circuit protection fuse
- inside the red clamp. Reverse polarity alarm (visual and acoustic).
- Colour-coded LED charge indicator.

Specifications:

33100100

- Voltage: 12V/24V
- Battery Capacity: 2 x 25Ah
 Cranking Amps/Peak Amps:
- 2400/1200CA / 6200/3100PA
- Cable Length/Cross Section: 155cm/50mm²
- Automatic Charger: 12V-3A • Built-in Short-Circuit Protection
- Fuse: 500A Product Nett Weight: 9.8kg

Warranty

GO700

- 5 Year Case Warranty • 2 Year Battery Warranty (*subject to
- conditions)

£365.00

£249.95

£999.00

Set of Sockets for NOX & Particulate Sensors

- Allows for the professional disassembly and assembly of exhaust particle NOX sensors.
- The special socket design prevents slipping and damage to the wrench profile on the sensor.

Includes:

- 1 x 24mm Socket Wrench
- 1 x 32mm Socket Wrench
- 1 x 14mm Socket Adapter • 1 x 17mm Socket Adapter
- 1 x 19mm Socket Adapter
- 1 x 22mm Socket Adapter
- 1 x 24mm Socket Adapter

GO068 Drive Shaft Disassembly Tool

• For the quick and efficient extraction of the drive shaft by breaking the internal circlip which holds it in place.



33100000

Universal Digital Pressure Tester- Comprehensive Kit

- Easier to see smaller variations in pressure.
 Unit pre-programmed for future add-on kits.
 Option to print results/evidence.

Possible Applications: Compression-Petrol/

- Diesel
- Turbo Pressure Oil Pressure
- Cooling System Pressure
- Vacuum Pressure Particle Filter Pressure

Ad Blue Pressure

Fuel Low Pressure

- £1599.00

Sykes-Pickavant.

SPEEDLINE3100 Booster Pack 12V AGM

- High-Output 25Ah (3100 Peak Amps) AGM Battery.
- · Can be used as a 12V power source or memory saver.
- Ribbed and durable ABS chassis.
- · Colour-coded LED charge indicator.
- Industrial-grade bronze angled clamps with short-circuit protection fuse inside the red clamp.

Specifications:

- Voltage: 12V Battery Capacity: 25Ah
- Cranking Amps/Peak Amps:
- 1200CA/3100PA Cable Length/Cross Section:
- 70cm/25mm² Automatic Charger: 12V-2A
- · Built-in Short-Circuit Protection
- Fuse: 300A Product Nett Weight: 9.8kg

Warranty:

- 5 Year Case Warranty
- 2 Year Battery Warranty (*subject to conditions)

GO1500B **EV Battery & Transmission** Lifting Table 1500kg

- Universal lifting table with a load capacity of 1500kg (1.5T).
- · Sliding cover, allowing convenient battery insallation or removal. · High ground clearance, making it compatiable with
- a mechnical screw. Easy to operate and tilt with self
- explanatory operations. The table features holes with M10 thread, which can be used to mount all types of supports or accessories, including special hooks, brackets,
- and protective mats for battery packs. Button operated table lowering.
- Rack safety systems, when not being operated, the table will lock by means of a mechanical anti-lowering safety wedge.

*Photo of the GO1500T for demonstration purposes

£5550.00











£399.00

WELZH WERKZEUG



VERSAL WHEEL BEAL R O

44637-WW

Specially designed for expanding suspension strut and ball joint mountings (to separate the suspension strut from the wheel bearing housing).

£29.95

- The large spreading range enables universal use for almost all vehicles. Innovative design of the parallel pressure surfaces prevent the tool
- from slipping or jumping out.



4192-1-WW £134.95

For the installation of CV boots without removing the drive shaft. New + Model allows use on the more popular larger sized boots. Jaw opening now to a max. of 150mm.

- New ergonomic handle design with built in hand guard. Saves huge amounts of time compared
- to traditional methods.
- Maximum Air Pressure: 116 PSI.
- Joint Diameter: 150mm.

ATCH OUR VI

同中

CTORS

- Air Inlet: 1/4" BSP. Weight: 2 kg. Designed & Made in the UK.



LZH VIBRATION MATE

£545.95 4589-WW

- Specially designed by WELZH to combine vibrations & Pneumatic force to allow for the easy removal of seized injectors.
- Comes complete with a universal adaptor set that covers Bosch, Delphi, Denso, Siemens CR injectors which have solenoid coil or screw connections. Covers 99% of injectors.





MOTIVE STOOL DING TOOL STORAGE GLUDI

4624-WW

360° Swivel foam-padded seat.
Adjustable seat height from 40-54cm (300mm diameter).

£44.95

- PP Plastic parts for extra storage
- (4pcs 20x16cm). Load capacity 300lbs.



810009-UTC £74.95

- 1pc Compressor tool (1pc additional UK connector) and 22 adapters that fit a wide range of vehicles.
- Designed to make disc brake services faster and easier.
- Tool can be turned both left and right; suitable for regular and reverse
- threaded pistons. Pneumatic powered tools wind pistons back by simply pressing
- . a button.



4

WELZH WERKZEUG

werk mene

HAND PUMP, SUCTION & FILLING



- Can be used on oil, brake fluid, transmission fluid, water and other fluids found in vehicles. Not suitable for fuel.
- Reduces spillage and mess.
 1.5Ltr Capacity.



Specially designed for extracting all types of petrol & diesel. Comes with a special adaptor set for connection to fuel lines. Supplied with viton seals. 1.5-Litre Capacity.



Suitable for oil, brake fluid, water, screen wash, and many other fluids. Not suitable for fuel. 200ml capacity.

MULTI-ADJUSTABLE EABLE INSPECTION D RK (RED

£64.95 5773-WW

Adjustable brightness Brightness level on main COB light ranges from 60-700 lms. Convenient use

- 180° Vertical and horizontal rotation. Magnetic base for hands-free use.
- Swivel hook for hanging onto car hood. Rechargeable
- USB Charging cable included.
- Main COB light operating time: 1.6-2hrs.
- Top SMD light: 120lms. Operating time 9 hrs.



SWIVEL HOOK





AUTOMOTIVE DIAGNOSTIC TOOL CART

BRIGHTNESS ADJUSTMENT

91020-WW £364.95

- High-quality materials, advanced technology, and a simple layered design. A multi-purpose diagnostic tool cart that combines the laptop computer storage layer, the programming power storage layer, the spare parts storage layer and the battery storage layer. The design, compared to a traditional tool cart, provides a functional, clean and orderly working environment.
- Robust structure
- Sturdy and durable, heavy-duty steel construction with a maximum load-bearing capacity of up to 300kg. Powder-coated for excellent rust and corrosion resistance and easy cleaning. 360° Swivel casters
- Rubber wheels provide ease of use and reduce vibration and noise when moving the trolley around the work area, also protects workshop floor surfaces
- Two casters are lockable to prevent unwanted movement and damage to vehicle bodywork.
- Side hook storage to hang cables and tools.



DRAPER TOOLS





DRAPER HI-TORQ[®] METRIC REVERSIBLE RATCHET COMBINATION SPANNER SET (12 PC)

Draper HI-TORQ® ratchet spanners: Chrome Vanadium steel, fully polished, corrosion-resistant. Offset open end at 15°. 15° cranked head with 90-tooth ratchet for tight spaces. 12-piece set provides maximum leverage.

- · Cranked ring end with 90-tooth ratchet mechanism
- The 4° movement enables use in tight spaces
- Forged from chrome vanadium steel that is hardened, tempered, fully polished and mirror chrome plated
- Optimal leverage through 12-point HI-TORQ® ring end
- This 12-piece set contains the full range

£54.95

Stock Code. 27692



PETROL AND DIESEL MASTER ENGINE COMPRESSION TEST KIT (42 PIECE)

Expert quality kit for vehicles and marine engines. Large dual reading pressure gauge (0-600psi/0-40bar) with rubber protector. Durable hose with antikink coil. Includes relief valve and Schrader one-way valve. Comes in plastic case.

- Compatible with most motorcycles, cars, light commercial vehicles and marine engines
- Large dual reading pressure gauge 0-600psi/0-40bar
- Fitted with a heavy duty rubber protector
- · Anti-kink coil attached to either end of the flexible hose
- Spring-loaded pressure relief valve
- Integrated Schrader one-way valve system
- Supplied in a plastic storage case

£159.95

Stock Code. 35886



DRAPER EXPERT PROFESSIONAL LOW PROFILE GARAGE TROLLEY JACK, 3T

Low entry trolley jack for vehicles with reduced clearance. Fast lift (max. height 500mm), knurled handle. EVA foam cover, rubber saddle pad for protection. Safety valve, nylon wheels for quiet operation. Includes two-piece handle.

- 83-500mm Lifting range
- · Twin piston pump for fast lift
- · Six full pumps to reach maximum height
- Low profile design
- Integrated rubber saddle pad prevents damage to the underside of the vehicle
- · Safety valve prevents the jack from overloading
- Hardwearing nylon wheels for quiet and smooth operation. Also helps prevent damage to garage floor

£199.95

Stock Code. 24271



230V DRUM FAN, 24"/610MM, 120W

High-velocity 24" drum fan for industrial, commercial, and leisure spaces. Three speeds, tilt function. All-metal construction, 120W copper motor. Handle and rubber wheels for easy maneuvering.

- A high-velocity 24" fan, suitable for industrial, commercial and leisure space use
- Three-speed push-button control and tilt function to direct airflow
- · Heavy-duty all-metal construction
- A 120W full copper motor
- · Handle and large rubber wheels for easy manoeuvrability

£156.25

Stock Code. 70045



150L BELT-DRIVEN AIR COMPRESSOR WITHOUT WHEELS, 2.2KW/3HP

Belt-driven, suitable for workshop use. Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge, Quick euro coupling outlet

- Belt-driven
- Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet

£582.50

Stock Code. 55<u>304</u>

PETROL PRESSURE WASHER, 6.5HP

Expert Quality for fast cleaning of vehicles, caravans, farm equipment, boats, driveways, etc. No mains power needed. 4-Stroke petrol engine. Includes 8M hose, high-pressure trigger, detergent tank, plastic hose adaptor, 5 nozzles, fuel funnel.

- For use where no mains power available
- Working pump pressure 168bar; flow rate 7.9L/min (474L/hour): weight 30kg
- Supplied with 8M heavy-duty hose, high-pressure metal trigger, detergent bottle, 1/2 inch plastic hose adaptor, five different nozzles and a fuel funnel with hose

£354.95

Stock Code. 83818

WE'RE FULLY EQUIPPED TO ASSIST...

DRAPER TOOLS

	DRAPER	Tool	S
--	--------	-------------	---



DRAPER EXPERT PROFESSIONAL LOW PROFILE GARAGE TROLLEY JACK, 4 T

Low entry trolley jack for vehicles with reduced clearance. Powerful twin piston pump lifts up to 515mm. Knurled handle for better grip. EVA foam cover, rubber saddle pad for protection. Safety valve included. Comes with two-piece handle.

- 107-515mm Lifting range
- 6.5 Full pumps to reach maximum height
- · Low profile design
- Integrated rubber saddle pad prevents damage to the underside of the vehicle
- Safety valve prevents the jack from overloading
- Rear swiveling castors



Stock Code. 24276



BUNKER® WORKBENCH ROLLER TOOL CABINET, 15 DRAWER, 61", GREY

BUNKER® 61" steel unit with 15 drawers, black trim. Soft-close, foam-lined. Durable grey finish, mobile with bottle opener. 25mm Hardwood worktop. Steel handle, 4 wheels (2 with brakes). Integral lock, 2 keys. Partial assembly. W 1,631 x H 974 x D 584mm. 10-year warranty.

- Soft-close drawers are lined with soft foam to protect tools
- High-quality hardwood worktop
- Built-in bottle opener (fitting required)
- Steel handle for ease of manoeuvrability
- Four strong castor wheels, two are fitted with brakes

5YR LEASE £7.96 PW

Stock Code, 08238

£1499.95



GRAVITY/SUCTION FEED OIL DRAINER, 65L

Air-operated waste oil drainer with gravity-fed reservoir. Suction pump, 10L bowl. Discharge via air pressure. Safety valve, 18L steel pan, oil level indicator, tray included. Heavy-duty castors, chrome handle for maneuverability.

- · Air operated waste oil drainer with gravity fed reservoir
- Fitted with a suction pump for the extraction of oil via the dipstick and a 400mm, 10L collection bowl
- Fitted with safety valve, 18L steel telescopic collection pan, oil reservoir level indicator and small working tray

£249.95 Stock Code. 66240

HYDRAULIC SPRING COMPRESSOR

Expert Quality 5000Kg hydraulic spring compressor for professional workshops. All-steel construction, full-size safety cage. Clamps and compresses coil springs. Independent hydraulic operation, mobile with robust wheels. Includes three interchangeable yokes.

- · Hand operated hydraulic pump
- Compatible with various Mercedes struts, including C-Class W203 pre 2007, C-Class W204 2008-14, W205 2015-18, E-Class W207/C207 2009-18, and ML 163 1997-2005.
- Compatible with challenging VW Touareg struts, no need for costly additional adaptors.
- Adjustable, accommodates popular spring/damper suspension combinations
- Safely provides access to vehicle suspension struts
- Fits a wide range of spring configurations and diameters

5YR LEASE £9.74 PW

Stock Code. 56191

£1835.00



230V FLOOR STANDING PARTS WASHER, 76L

Steel degreasing unit for pre-assembly cleaning. Enamelled with lid, plug, cable, built-in filter. Self-latching fire cover, chromed pipes. Enclosed pump, removable drying shelf. Immersion soaking. Non-welded tank. Manual included. Not for solvents.

- · For the degreasing of component parts prior to assembly
- Sturdy steel construction, enamelled finish with "fire drop" lid
- Tank capacity 76L
- Overall dimensions 800 x 550 x 890mm
- Dimensions: Tank-internal 725 x 790 x 270mm
- Not suitable for use with solvent based cleaning fluids
- · Fitted with cable and approved plug

£234.95

Stock Code. 37825



HIGH FREQUENCY PLASMA CUTTER, 40A

High-frequency plasma cutter with advanced IGBT technology. Pilot arc function for stable, fast cutting. Cuts stainless steel, aluminum, metals up to 12mm thick. Thermal overload protection for durability. Robust, lightweight, portable with carry handle.

- IGBT Inverter technology
- Integrated gas regulator
- High frequency pilot arc start
- 12mm Cut thickness
- · Thermal overload protection

£270.95

Stock Code. 70066

AST TOOLS



AST5150

£386.00





Engine Setting/Locking Kit - FORD Petrol 1.0 SCTi EcoBoost & 1.1 (Belt)

Models: Ford: B-MAX, C-MAX ('11), C-MAX ('15), EcoSport, Fiesta ('13), Fiesta Active ('18), Focus ('11), Focus ('15), Focus ('19), Grand C-MAX ('11), Grand C-MAX ('15), Grand Tourneo Connect ('14), Mondeo ('15), Tourneo Connect ('14), Tourneo Courier (14), Transit Connect ('14), Transit Courier ('14)

OE Refs: 21-260, 303-1054, 303-1602, 303-1604, 303-1605, 303-1606, 303-732



AST5145A

£209.00

Petrol 1.0 / 1.2 / 1.4 TFSi (Belt) Engine Setting / Locking Kit - VAG

Models: Audi: A1, A3, A4, Q2, Q3, S3 Saloon. SEAT: Alhambra, Arona, Ateca, Ibiza, Leon, Leon ST, Tarraco, Toledo. SKODA: Fabia III, Kamiq, Karoq, Kodiaq, Octavia III, Octavia IV, Rapid, Rapid Spaceback, Scala, Superb III, Yeti. VW: Golf SV, Golf Sportsvan, Golf VII, Jetta, Passat, Passatt Alltrack, Polo, Scirocco, Sharan, T-Cross, T-Roc, Tiguan, Tiguan Allspace, Touran.

OE Ref: T10060A, T10340, T10476/A, T10494, T10499 and T10504

VISIT WWW.ASTTOOLS.CO.UK FOR FULL DETAILS

AST6160





8



5:1 Torque Multiplier Set - FORD 1.0 EcoBoost & 1.1 Petrol Engines

Enables correct removal and installation of the crankshaft pulley bolt on the Ford 1.0 Ecoboost engine. The crankshaft pulley bolt is tightened in stages to a very high torque loading.

- 5:1 Torque ratio, matches OE specification
- Ensures bolt is tightened correctly, no need to convert any torque figures or angular inputs

OE Refs: 303-1611, 303-1611-01, 303-1611-02

AST5148A

£144.00





Engine Setting/Locking Kit - PSA, Opel/Vauxhall, Toyota Petrol 1.0 & 1.2 EB0/EB2 - 3 Cylinder (Belt)

Set includes engine setting tools, special tool to counter hold the crankshaft hub to remove/install its retaining bolt, and belt test gauge AST5249, to easily check the condition of the belt.

Models: Fits various Citroën, Peugeot, Toyota and Vaux/Opel models. See website for details.

OE Refs: 0109-2A, 0109-2B, 0109-6, 16 431 900 80, EN-52127-1, EN-52127-2, G-0109-6

AST TOOLS



AST6245





Vibration Damper/Crankshaft Pulley Removal Tool for FORD Ranger

Suitable for Ford Ranger and Transit MHEV (Mild Hybrid) models fitted with the 2.0 EcoBlue Panther Engine. Ensures simple and safe removal of the vibration damper/crankshaft pulley and saves time during disassembly.

Models: Ranger, Transit (MHEV)

OE Refs: 303-1657



Engine Timing Check Kit - PSA, DS, Opel/Vauxhall Petrol 1.2 GDI PureTech EB2

Enables a quick and easy check of the timing belt condition to determine if a belt replacement is required, without disassembling the engine.

Models: Fits various Citroën, Peugeot and Vaux/Opel models. See website for details.

OE Refs: 0190-2B, 0109-2C, 0109-2D, 0109-6, 0197-N, EN-52127-2

OR CALL YOUR LOCAL BRANCH TO ORDER TODAY

AST5200





Belt-In-Oil Engine Setting/Locking Kit - FORD Diesel 2.0 TDCi EcoBlue (Panther)

For belt-in-oil removal and installation on 2.0TDCi EcoBlue 'Panther' Diesel engines installed in Ford cars and LCVs.

Models: Edge, Focus ('19), Galaxy ('15), Mondeo ('15), Ranger ('12), S-MAX ('15), Tourneo Custom ('12), Transit ('14), Transit Custom ('12)

OE Refs: 303-1637, 303-1643, 303-1650

AST6185

£42.00





Vibration Damper/Crankshaft Pulley Remover -Ford 2.0 EcoBlue

For efficient removal of the vibration damper/pulley installed on the Ford 2.0 EcoBlue (Panther) Diesel engine. The pulley requires removal to gain access to the timing belt cover.

Models: Edge, Focus, Focus Active, Galaxy, Mondeo, S-Max, Tourneo Custom, Transit, Transit Custom

OE Refs: 204-158-01, 205-295

MILWAUKEE



MILWAUKEE M18 HIGH TORQUE 1/2" IMPACT WRENCH WITH 2X 5 AMP BATTERIES

- M18 FUEL[™] Impact Wrench
- POWERSTATE[™] brushless motor
- 2x 18v 5Ah REDLITHIUM™ batteries
- Fast multi voltage charger
- 4 Mode DRIVE CONTROL[™] with bolt removal mode
- Fastening torque 1354Nm
- Bolt removal mode, maximum nut busting torque breaking fasteners free
- 1/2" Square drive anvil with friction ring
- Bright LED job light
- Premium rubber overmould increases comfort and corrosion protection
- REDLINK PLUS[™] advanced digital overload, enhancing productivity, performance and protection under load
- REDLITHIUM[™] batteries - Superior construction electronics and fade freel performance
- Milwaukee hard carry case
- Weight 2.6kgs

£369.95

NAKED M18 FUEL™ ONE-KEY™ 115MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH

Milwaukee

....

- Delivering corded performance similar to a 1200W grinder
- ONE-KEY[™] tool locking, tracking & security offers a cloudbased inventory management platform that supports both location tracking and theft prevention
- RAPIDSTOP[™] for fastest disc brake in less than 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot for better balance & ergonomics compared to previous model
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC[™] system for tool-free disc change
- Removable dust screen to prevent debris entrance, prolonging motor life

• 115mm Keyless guard for great cutting capacity and fast guard adjustment without using a key

Milwauke

- Integrates three MILWAUKEE[®]-exclusive technologies the POWERSTATE[™] brushless motor, REDLITHIUM[™] battery pack and REDLINK PLUS[™] intelligence, delivering outstanding power, run time and durability on the jobsite
- Flexible battery system: works with all MILWAUKEE[®] M18[™] batteries



- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 3/8" Anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE[™] motor delivers more power in a more compact size
- REDLINK PLUS[™] Intelligence system delivers an advanced digital overload protection for tool and battery, and uniquely enhances the tool performance
- REDLITHIUM[™]-ION battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Individual battery cell monitoring optimises tool run time
- Better access in tight spaces with an overall length of only 121.9 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
 Bright LED
- workspace illumination
- Includes: 1x M12 B6, 1x M12 B2 Battery packs, C12 C Charger, HD Box

£209.95



£165.95

10 WE'RE FULLY EQUIPPED TO ASSIST...

5-

Milwaukee

MILWAUKEE

M18[™] FUEL POWER PACK

Milwaukee

KIT INCLUDES: M18 HIGH TORQUE GUN, M18 115MM GRINDER, 2X 5AH BATTERIES, CHARGER AND CASE.



£499.00

FUEL ½" MID-TORQUE SUPER COMPACT IMPACT WRENCH KIT

- Industry-leading performance at 881 Nm of nut-busting torque and 745Nm of fastening torque
- Incredibly compact design for this performance level, with only 152mm overall length, ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings.
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops
- Auto shut-off control applies no more than 47Nm of torque for hand-tight fastening applications to prevent over-tightening
- 1/2" Square drive friction ring
- Tri-LEDs deliver high definition lighting
- Integrates three MILWAUKEE®-exclusive technologies the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence
- Includes 2x 5AH Batteries, Charger & Packout Case



Milwaukee

GYS



PORTABLE EV CHARGER







MADE IN FRAN

Super Pro EV Charge

Ref: 075320

- Portable charging solution for EV and Plug-In Hybrid vehicles (PHEV)
- Move the charger to the car, not the car to the charger
- No need for costly fixed point installations, just connect to any 240v or 400v socket (three phase)
- Ideal for garage workshops, car dealerships, body shops & car sales sites
- Flexible can be used anywhere in the workshop or even the car park
- Supplied with a 5m charging cable fitted with a Type 2 plug & both 3pin 240v and 32Amp three phase cables

List Price: £899 SPECIAL OFFER PRICE: £ 799

3 IN 1 SMART STARTER/SMART CHARGER/ BATTERY SUPPORT UNIT





DIAG-STARTIUM 60.24

Ref: 025592

- Smart starter detects short circuits & deeply discharged batteries & will prevent a potentially damaging start.
- Charges all 12v/24v battery types including EFB and AGM Stop/Start
- Safe to charge without disconnecting battery from vehicle
- Built in protection for vehicle electronics (short circuit, polarity reversal)
- Suitable for starting/charging cars, vans, LCV and HGV's (max 525Ah)
- Provides up to 60Amps battery support when performing diagnostic testing
- Supplied with 2.3m cables and insulated clamps

List Price: £899 SPECIAL OFFER PRICE: £799

3 IN 1 SMART CHARGER/BATTERY SUPPORT UNIT/ SHOWROOM CHARGER



GYSFLASH 30.12PL

Ref: 026070

- Charges all 12v battery types including EFB and AGM Stop/Start plus Lithium(LiFePO₄)
- Safe to charge without disconnecting battery from vehicle
- Built in protection for vehicle electronics (short circuit, polarity reversal & anti-spark)
- Suitable for cars, vans and LCV's (max 375Ah)
- Provides 30Amps power when performing diagnostic testing
- Showroom mode for supporting demo vehicles
- Supplied with clamps

List Price: £278 SPECIAL OFFER PRICE: £249

HEAVY DUTY BOOSTER PACK 12V



GYSPACK 800

Ref: 072107

- Suitable for starting cars and vans
- Powerful 2500Amps peak and 1320Amps cranking cc
- Rugged spiral cell AGM batteries inside
- Smart charger allows safe, permanent connection to mains so always fully charged
- Can also be charged on the move via a cigarette lighter cable
- Reverse polarity buzzer & protection for vehicle electronics
- Display screen shows internal battery state of charge
- Supplied with 1.8m cables for easy connection

List Price: £479 SPECIAL OFFER PRICE: £ 429



WELDING & CAR BODY

200AMP INVERTER MIG WELDER READY TO WELD PACK



MULTIWELD 200

Ref: U66595

- 200Amp Inverter MIG welder (gas or no-gas)
- Ideal for workshop use (up to 10mm thickness)
- Suitable for welding steel, stainless & aluminium
- Easy set up Smart control panel
- Inductance control to reduce spatter
- Powerful 4 wheel wire feed motor ensures consistent feed
- Delivered complete with Euro torch, Argon/CO₂ regulator, MIG wire, welding gauntlets and welding helmet

List Price: £1,051 SPECIAL OFFER PRICE: £749

CAR BODY PLASTIC REPAIR KIT





AUTOMOTIVE PLASTICS REPAIR KIT

Ref: 052932

- Plastic brazing kit suitable for repairing most popular automotive plastics (PE, PP, PUR, PP-TEEE)
- Reinforced wire mesh is melted into the repair area and plastic "filler" added to cover
- Ideal for use on bumpers, fairings, spoilers etc.
- Why replace when it can be repaired
- Kit contents as per photo
- Extra plastic filler rods available as a pack of 10 (ref: 052956)

List Price: £152 SPECIAL OFFER PRICE: £ 139

INDUCTION HEATING

3700WATT INDUCTION HEATER TROLLEY DEAL PACK



POWERDUCTION 37LG

Ref: U20226

- 240v, 3700Watt Induction heater suitable for automotive workshops.
- Designed to release seized bolts & metallic components
- Safe, fast, flameless heat heats an M10 nut in 1 second
- No damage to surrounding objects (wiring looms, rubber bushes, carpets etc.)
- Cheaper to run & faster than Oxy Acetylene/Oxy Propane.
- Many automotive applications for releasing seized components including: manifold studs, track rod ends, suspension bolts, exhaust clamps, wheel nuts
 - Delivered complete with cable hanger, trolley, inductor and liquid coolant
 - List Price: £ 3,624 SPECIAL OFFER PRICE: £ 2,799 SYR LEASE £14.86 PW

1200WATT INDUCTION HEATER KIT



POWERDUCTION 10R

Ref: 068643

- Designed to release seized bolts & metallic components in seconds
- Fast, flameless heat heats an M10 nut in under 10 seconds
- No damage to surrounding objects (wiring looms, rubber bushes, carpets etc.)
- Fast change coil lock/unlock system
- Supplied with 5 different heating coils
- 240v, 1200w output
- Many automotive applications for releasing seized components including: brake pipe nuts, bleed nipples, track rod ends, exhaust clamps, wheel nuts

List Price: £ 649

SPECIAL OFFER PRICE: £ 549

HICKLEYS





AP AUTO







VISIT WWW.APAUTO.CO.UK OR CONTACT YOUR LOCAL BRANCH

*MACHINES ARE SUPPLIED SUBJECT TO AVAILABILITY AND AP AUTO'S TERMS AND CONDITIONS. DELIVERY APPLIES TO UK MAINLAND ONLY. INSTALLATION AVAILABLE. 3-YEAR WARRANTY IS SUBJECT TO CONDITIONS – MACHINE MUST BE SERVICED ANNUALLY.

LAUNCH UK

THE ONLY OFFICIAL UK DISTRIBUTOR OF LAUNCH TECH DIAGNOSTIC AND WORKSHOP EQUIPMENT



Technicians can now get their hands on a newly developed, high-end vehicle diagnostic tool, the Launch X-431 Euro Tab III, featuring the new Smartlink® C VCI, an advanced module allowing for enhanced communication and functions.

Using the Android 9.0 operating system, Euro Tab III builds on the highly regarded Launch diagnostic technology, offering worldwide vehicle coverage, powerful diagnostics and numerous special functions.

Euro Tab III has 33 service and reset functions, and features Launch CarSet Electronic database powered by Haynes PRO; Launch guided diagnosis function; Optional ADAS calibration function and advanced coding and programming function.

Smartlink®C communicates directly with a vehicle for local diagnosis and remotely for Launch Super Remote Diagnosis (SRD). Smartlink®C is a new development that allows a technician to call on a remote service provider, who, using a Smartlink®B interface, will connect to the vehicle remotely and carry out almost any diagnostic or programming function, on any vehicle.

The Euro Tab III includes the Launch professional database fully integrated into the diagnostic software. This will take the user directly from the DTC to a step-by-step testing routine, leading to the fault code solution. The new Tab III comes complete with the Launch 02-1 four-channel oscilloscope, as well as the Launch TSGUN and four TPMS sensors.

EURO TAB III FEATURES

- Intelligent diagnostics for 100+ car brands
- Topology mapping provides visual checking on DTCs and all systems' communication status
- Supports the following automotive communication protocols and standards: CAN / CANFD / DoIP / J2534 / D-PDU / RP1210
- Optional ADAS calibration function

NEW MODEL! NOW INCLUDES REMOTE DIAGNOSIS.

LAUNCH UK



- Advanced coding and programming function
- Diagnoses light, medium & heavy duty vehicles with Smartlink® C
- Wireless software update
- Built-in repair information and training video modules help to track and fix issues fast

NEW MODEL! NOW INCLUDES REMOTE DIAGNOSIS.

Two-year Launch UK warranty

-431 EURO PRO 5 LINK

The PRO 5 Link is supplied with the latest Launch development, the advanced Smartlink® C VCI, enabling Launch Super Remote Diagnosis. The advanced interface supports multiple communication and diagnostic protocols including DOIP, CAN FD, J2534/1/2, D-PDU, RP-1210/C, 5GMHz Wi-Fi, Ethernet, and USB 2.0.

I≡ FEATURES

- Local intelligent diagnostics
- Supports heavy commercial vehicles (Additional license required)
- One click software updates almost daily

SPECIAL OFFER INCLUDES

- One year Launch CarSet electronics database powered by Haynes PRO
- Two-year Launch UK warranty



LAUNCH UK

LAUNCH UK

ISMARTTOOL 601MAX

This handheld device is designed to be highly portable, with a six-inch touch screen and built-in printer for convenient use on-the-go.

The system covers more than 100 vehicle manufacturers and integrates diagnostics, battery and tyre pressure detection, and 26 special maintenance service functions.

iSmartTool 601Max offers in-car and out-of-car battery inspection functions, as well as TPMS system programming through its intuitive and user-friendly Android 10 operating system, underpinned by a quad-core 2.0Ghz processor and 4GB memory.



Additionally, the device provides comprehensive tests that include load testing and other diagnostic tests, with results printed or emailed for easy documentation and record-keeping. iSmartTool 601Max is delivered in a sturdy case with OBD1 connectors for older vehicles.

> ONLY £895.00





- OS: Android 9.0
- Screen: 8"
- CPU: 2GHz 4-Core
- Internal memory: 3GB
- Internal storage: 32GB
- Wifi: 2.4GHz and 5GHz enabled
- Camera: Front 2MP, Rear 5MP
- Battery: 5000mAh

Includes 2 Years Software Updates PLUS 2 years warranty! (Optional Haynes Pro





ISMARTLINK DO1 AUTO

- Multi-national vehicle coverage
- Over 30 special and maintenance functions
- OS: Android
- Screen: 10.1" (1920x1200)
- CPU: 2.0GHz 8-Core
- Internal memory: 4GB
- Internal storage: 128GB
- Wifi: 2.4GHz and 5GHz enabled
- Camera: Front 8MP, Rear 13MP
- Battery: 9360mAh





- OS: Android 9.0
- Screen: 10.1" touch
- CPU: 1.8GHz 8-Core
- Internal memory: 4GB
- Internal storage: 64GB + 32GB microSD
- Wifi: 2.4GHz and 5GHz enabled
- Camera: Front 5MP, Rear 8MP
- Battery: 7000mAh

Includes 2 Years Software Updates, 2 years warranty PLUS 1 year Guided Diagnosis function - HaynesPro Electronics



CRYPTON



JPT

The Autodiagnos Tire series

Fast TPMS service and simple tire management with Continental's new tire service devices

Find more information on the full range of Continental's Autodiagnos Tire devices at www.continental-aftermarket.com/autodiagnos-tire

CRYPTON



Autodiagnos Tire 200

The independent solution with smart operating comfort



• Fast programming of universal sensors

• Fast vehicle and function selection



• As intuitive as a smartphone

• TPMS information at a glance



TPMS reports and support inquiries

Features

- Easy to use 5" touchscreen (12.7 cm diagonal)
- WLAN updates.
- Integrated OBDII module.
- Displays all sensor data: ID, tyre pressure, tyre temperature, frequency and battery status.
- Perform manual and OBDII relearning with integrated instructions.
- Display of sensor/service kit information with a complete image library.
- Programming of aftermarket sensors.
- ECU sensor ID matching for sensor troubleshooting.
- Read/clear TPM DTCs.

- Test function of the radio key signal.
- Full TPMS and tyre reports by e-mail.

Database

- 100% of all OE sensors worldwide and all common aftermarket sensors, including the Schrader EZ Sensor, Alcar from Schrader, Alligator Sens-it, Huf Intellisens, VDO REDI Sensor, Hamaton T-Pro/EU- Pro, Orange DirectFit/Universal EU, Mobiletron and many more.
- 100% of all passenger cars Europe-wide with TPMS.
- Including 2 years of the Update Plus Service (with FREE software and database updates).

The all-in-one solution for TPMS

Offer price:

E**895.0**0

THINKCAR



THINKTOOL Euro Max

LARGER, FASTER, MORE POWERFUL

13-inch OE-Level Diagnositc Tool For Passenger And Commercial Vehicles



THINKTOOL Euro X10S

TO SEE, TO HEAR, THE FIRST REAL-TIME REMOTE DIAGNOSTIC SERVICE

Real-time Video Remote Diagnostic Tablet



THINKTOOL X5

TO SEE, TO HEAR, THE FIRST REAL-TIME REMOTE DIAGNOSTIC SERVICE 5-INCH Real-time Video Remote Diagnostic Tablet



THINKTOOL Euro Master Lite

8-INCH OE-LEVEL AUTOMOTIVE DIAGNOSTIC TOOL



THINKTOOL Reader 7 5-INCH AUTOMOTIVE DIAGNOSTIC TOOL

Full System Diagnostic With Lifetime Free Subscription



THINKCAR PLD 212 PROFESSIONAL AUTOMOTIVE PIPELINE SMOKE LEAK DETECTOR







NEW PRODUCT NEW RELEASES 2023

DOIP + CAN-FD COMPLIANT



HICKLEYS





22

TOPDON

TOPDON

TOPDON

TOPDON Integrated Diagnostic Tools are high-end diagnostic tablets with comprehensive features such as advanced coding, adaptation and programming.





Featuring cloud based programming for 6 brands & vast vehicle diagnostic coverage

£2700+VAT

£1495+VAT

35.5

e 🕐 e

0

PHOENIX SMART Cloud based programming for 15 brands & latest protocol functionality

£2250+VAT

CIE

TORNADO90000

Reliable, smart and affordable battery support for all your diagnostic needs

41. 13

£595+VAT



All-in-one diagnostic scanner with 4-channel oscilloscope

PHOENIX MAX

ŝ

-

-

10

6

TOPDON

C.....

₹

£3495+VAT WITH SCOPE OR £2995 +VAT WITHOUT SCOPE PHOENIX SCOPE

18

Analyse and compare multiple components with its color-coded channels

PHOENIX LITE 2 Your workshop go-to for fast service

functionality £850+VAT

£550+VAT



CONTACT US 0 f 🕓 🖸

0118 227 0648 | info@topdondiagnostics.co.uk www.topdondiagnostics.co.uk

HOFMANN MEGAPLAN



megamount EDGE Tyre Changer + velospin 8380

megamount EDGE Tyre Changer

A premium quality tyre changer which will meet the demands of busy workshops. Combines a unique bead breaker with 'megafit 2D' assist making this an ideal machine for the toughest of tyres.

velospin 8380P Fully Automatic 3D Wheel Balancer with pneumatic clamping

A top of the line wheel balancer, which guarantees speed, accuracy, and long life. 3D data entry is complimented by an impressive, full-colour TFT display and pneumatic clamping device, which removes the need for a manual locking handle and provides even better balancing accuracy through perfect centering on the cone.

balco i-Lign

Tablet-based operation is becoming more and more popular

You can be free to take the 'readout' with you anywhere around the vehicle, you are not restricted to a single alignment 'station' and can use on multiple bays. In general everything is much more practical with a portable system. The new i-Lign knocks the ball out of the park when it comes to functionality and capability vs the practicality offered up by a tablet-based aligner, and compromises on nothing with its deluxe 3-Point clamps and 8 camera technology.

- Compact, portable trolley houses ALL components, whilst providing 'dock' charging for the measuring heads when not in use
- Tablet operation means the operator can move freely and see live readings
 Automatic look-up of the EXACT vehicle
- Automatic look-up of the EXACT vehicle by Reg No makes it super-fast
 2.252 to share any
- 8 CCD technology
 Deluxe, Italian 3-Point Clamps
- 2 Year Warranty

All prices subject to VAT

Package Price...







Logik 6-2 CCD Wheel Aligner

2.4. "

Logik 6-2

🎽 НОҒМАЛЛ МЕБАРLAN

The Logik 6-2 is the 'next generation' in wheel alignment, taking advantage of developments in technology in order to make this premium 6-CCD wheel aligner even more accessible than its predecessor.

New features include 'One-Piece' heads, which vastly reduce time when setting up the car, or when storing them in-between alignments. A brand new, ergonomic design, and even 'slicker' software combine to make alignment even faster.

t-operated Inment Istem

5YR LEASE £45.62pw

Price only...

ator can s vehicle

3 stage arms

all round for maximum vehicle

coverage!

AAA

5YR LEASE £13.24pw

neni

🛃 HOFMANN MEGAPLAN

Price onlv...

INCLUDES Delivery,

Installation,

Full Training & 2 Year

Warranty!

HOFMANN MEGAPLAN

Atlas ATP9 Two Post Lift

Not to be confused with 'budget' lifts of similar pricing, the ATP9 has been designed in Europe with European vehicles in mind.



Boasting electric locks, four 3-Stage arms and 70mm and 100mm pad extensions included as standard, the ATP9 manages to balance value and performance perfectly. Capacity: 4000kg

ATL MOT

- Choice of lifts to fit every project, from four post through to scissor. All are available in various platform lengths and can fit recessed, surface mounted or pre-prepared pits.
- Lifts available with or without wheel alignment to allow for dual revenue.
- Available with integrated or standalone emissions analyser.
- Extended warranties with peace of mind deals are also available.



CLASS IV ATL/PIT LIFT AND PIT PACKAGES

CLASS VII ATL/PIT Lift and pit packages

Multiple Bay Options Available **Call Us To** Discuss



- 3D Digital Imaging (camera & target) technology via 2 cameras
- Cabinet-free, space-saving besign
 Simple and user-friendly 2-colour 'bar' display
 discrements & readings
- shows live adjustments & readings Ability to personalise print-outs by customer
- Deluxe, Italian 3-Point Clamps
 2 Year Warranty



90

5YR LEASE £84.90pw

All prices subject to VAT

GEMCO

H8935MG/1 3.5T SCISSOR LIFT Fixed or Mobile



ARAGE EQUIPMENT & MAINTENANCE COMPA

ALL ATION

NEW BRADBURY SCISSOR LIFT

The Bradbury H8935MG/1 is our newest addition! An electro-hydraulic mobile, short-rise scissor lift with a 3.5t capacity. Features include:

- Double hydraulic system with two cylinders under each scissor system, meaning no compressed air and no safety ratchet needed!
- Leverage of full 3.5 tonne capacity from lowest position.
- Mechanical synchronization through cross-bars.
- Sturdy scissor construction for high directional stability.
- Base-frames, platforms and ramps galvanised as standard.
- Mobile kit and rubber blocks included as standard.
- 105mm Min height, 995mm max lifting height
- 900mm Distance between platforms
- 525mm Platform width
- 16 Seconds lifting/lowering time
- 2.2KW Pump unit
- 1 Phase 20a Isolator Required



INC I

£3.145.00





ARAGE EQUIPMEN

DSL36 DUNLOP 3.6T SCISSOR LIFT Full rise with lockable run-on ramps

NEW DUNLOP SCISSOR LIFT

The Dunlop DSL36 is a 3.6 tonne full-rise scissor lift and comes with lockable run-on ramps to extend the platform length for longer vehicles.

- 3.6 Tonne lifting capacity
- 110mm Minimum height
- 1895mm Maximum lifting height
- 630mm Platform width
- Electro-hydraulic operation
- 40 Seconds lifting and lowering time
- 800mm Distance between platforms
- 1590 2200mm Overall length
- 3KW Motor size
- 3 Phase or 1 phase

*Subject to service and maintenance at the manufacturer's recommended intervals



RADBURY

E GARAGE EQUIPMENT & MAINTENANCE COMPAN

H4403SL+ **£5,895.00**

Lease from

£31.29 PW 5 Year

H4403WL

£7,195.00

Lease from

£38.19 PW 5 Year

Both H4403SL+ and

H4403WL available in

single phase + \pm 360

2 Year

Warranty*

GEMCO

H4403SL+ & H4403WL Electro-hydraulic Four Post Lifts

FREE

TURN-PLATES

With alignment

model (H4403WL)

NEW BRADBURY FOUR POST LIFTS

These new 4 Tonne, 4 post, Electro Hydraulic lifts offer traditional Bradbury build quality at an amazing price. Made in Italy, the lifts are available either as a standard Service Lift or a Wheel Alignment option, which includes rear slip plates. Ideal for both busy service bays and tyre shops, they are designed to be functional and versatile.

- Capacity 4 Tonne
- Platform length 4.8m
- Minimum height 126mm (Service model), 180mm (Alignment model)
- Max platform height 1960mm
- Lift/lowering time 34s
- 3 Phase, single phase versions available
- Power supply 3 Phase 16a isolator
- Alignment version (H4403WL) includes Rear Slip Plates & recess for turnplates
- Optional jacking beam not included

The Dunlop DL240+ Two Post Electro-hydraulic Lift features a large 4 tonne lifting capacity and is suitable for cars and vans (excluding LWB). Available with a choice of single or three phase £2,695.00 motors at no extra cost. A solid H Baseframe model (DL240B+) is Lease from also available, please see below. E14.30 PW 5 Year Available in Single & 3 phase Lifting capacity 4 tonnes Lifting time 40 seconds Minimum height 100mm DESIGNED IN Lifting Height 1976mm Distance between posts 2800mm Overall width of lift 3520mm Front arms (3 stage) 722mm - 1360mm Rear arms (2 stage) 920mm - 1467mm Warranty 12 months parts & labour* Optional Extras Pad Extension Kit 2 sets, 80mm & 150mm (Part Number 99991306) DL240B+ DL240B+ Solid H Baseframe model also available **£3,095.00** Lease from £16.43 Pw 5 year. Same features as the DL240+ but with solid H Baseframe for extra stability.

ade

HALF PRICE OPTIONAL LIFT PAD EXTENSIONS, 2 X SETS, 80MM & 150MM, ONLY £121 WHEN ORDERED WITH THE LIFT, USUAL PRICE £242, SAVE £121.

*Subject to service and maintenance at the manufacturer's recommended intervals.

HICKLEYS

TYRE SERVICE PACKAGES

PLATINUM

Max wheel diameter - 1100mm Rim size inside - 15" - 28"

Rim size outside - 13" - 24"

Wheel width - 3" - 14" Twin speed - 0.85kw/1.1kw

2 position bead breaker 2 position rim width

Power supply - 400v/3ph

M189HPD/S + AA390H

Hickleys

Dama HDM189S + AA390H with 3rd Arm Assist

Jama

A hugely powerful and full spec tyre changer for high volume workshops, this fully auto machine offers a twin speed, very large 28" turntable, air tank for tubeless inflation, pneumatic tilt back, 2 position bead breaker, 2 position rim width adjustment, alloy protection and comes complete with inflator, gauge, lever & bucket. As an option this tyre changer can be selected with a leverless hook head for greatest ease of use.

Dama HDMB68 Wheel Balancer

A high quality automatic wheel balancer with auto measurement, brake pedal, and an excellent range of aluminium wheel programs. With balancing times as little as 7 seconds, this is an excellent balancer for busy tyre bays. Includes automatic width measurement and unbalance point positioning for hidden stick on weights.

BALANCER UPGRADE OPTION Dama HDMB81 Wheel Balancer

This is the flagship balancer in the Dama range and is packed with exciting features that make balancing fast, accurate and automatic. With intuitive graphics, large LCD screen and an easy to use procedure you will truly love this balancer. The features, such as sonar width and laser pointer, together with auto brake and self calibration make this a very high spec balancer for an incredibly low cost.

Specification

Specification

Rim diameter - 10" - 28" Max wheel diameter - 1118mm Wheel width - 1.5" - 20" Balancing Time - 7s Power supply - 230v/1ph



PACKAGE £5295.00

HDM189/AA390H & HDMB68

£3595.00

Add £995 for leverless

£2195.00

£19.50pw (5 yrs)

£11.90pw (5 yrs)

£28.72pw (5 yrs) Including leverless £6290

£2995.00

£32 51 pw (5 vrs)

PLATINUM PLUS

Features

Large LCD colour screen Easy to follow graphics Automatic measuring with sonar Variety of auto programs Varied selection of Alloy programs Laser accuracy pointer Locking weight position Auto calibration & self test.



Dama HDM189S + AA390H with 3rd Arm Assist

A hugely powerful and full spec tyre changer for high volume workshops, this fully auto machine offers a twin speed, very large 28" turntable, air tank for tubeless inflation, pneumatic tilt back, 2 position bead breaker, 2 position rim width adjustment, alloy protection and comes complete with inflator, gauge, lever & bucket. As an option this tyre changer can be selected with a leverless hook head for greatest ease of use.

Dama HDMB3020B Wheel Balancer

This balancer is fully automatic, offering an informative LCD screen with step by step guide. All around measurement including width and diameter with a 10 second spin time. It has static & dynamic balancing with 5 alloy programs and a smart program that selects all necessary measurements. Includes brake for accurate weight fitting.

BALANCER UPGRADE OPTION Dama HDMB79 Wheel Balancer

The top of the range balancer with automatic measurement and 8 second spin, complete with a full graphics TFT screen and step by step guide. The balancer has a wide selection of programs including spoke, hidden weight, split weight and smart program, in addition the balancer has an automatic brake and laser pointer for maximum accuracy.

GOLD

Specification

Max wheel diameter - 1100mm Rim size inside - 15" - 28" Rim size outside - 13" - 24" Wheel width - 3" - 14" Twin speed - 0.85kw/1.1kw 2 Position bead breaker 2 Position rim width Power supply - 400v/3ph

Specification

Rim diameter - 9.5" - 28" Max wheel diameter - 1100mm Wheel width - 1.5" - 20" Balancing time - 10s Power supply - 230v



£3595.00 £19 50pw (5 yrs) Add £995 for leverless HDMB3020B

£1895.00 £10.28pw (5 vrs)

HDM189/AA390H & HDMB3020B PACKAGE

£4995.00 £27.09pw (5 yrs)

Including leverless £5990

HDM189/AA390H & HDMB79

£5395.00

Including leverless £6390

PACKAGE

£2295.00

£29.26pw (5 vrs)



GOLD PLUS

Max wheel diameter -1100mm Wheel width - 1.5" - 20" Balancing time - 8s Power supply - 230v





HICKLEYS



TYRE SERVICE PACKAGES

SILVER

Dama HDM185TID2 + AA320D with 3rd Arm Assist

A fully automatic, accurate and robust tyre changer for professional tyre bays, offering a large turntable, air tank for tubeless inflation, pneumatic tilt back, 2 position bead breaker, alloy protection, and twin speed turntable (400v 3ph only). Comes complete with inflator, gauge, lever & bucket.

Dama HDMB910 Wheel Balancer

Popular manual electronic wheel balancer at an affordable price. Easy to use, balances in as little as 10 seconds. 3 alloy programs, static/dynamic balancing and auto calibration.

BALANCER UPGRADE OPTION Dama HDMB3020B Wheel Balancer

This balancer is fully automatic, offering an informative LCD screen with step by step guide. All around measurement including width and diameter with a 10 second spin time. It has static & dynamic balancing with 5 alloy programs and a smart program that selects all necessary measurements. Includes brake for accurate weight fitting.

Specification

Max wheel diameter - 11 Rim size inside - 14" - 25' - 1120mm Rim size outside - 14 - 25 Rim size outside - 12" - 22" Wheel width - 3" - 13" Power supply - 230v/1ph 400v/3ph

Specification

Balancing time - 10s Rim diameter - 12" - 22" Max wheel diameter - 110cm Wheel width - 1.5" - 20" Power supply - 230v



SILVER PLUS

Specification lim diameter - 9.5" - 28 Max wheel diameter -1100mm Wheel width - 1 5" - 20 Balancing time - 10s Power supply - 230v

2 YEAR

WARRANTY

£22.75pw (5 yrs) HDMB3020B £1895.00 £10.28pw HDM185TID2/AA320D & HDMB3020B PACKAGE £4595.00

£4195.00

£3195.00

£1495.00

PACKAGE

£17.33pw (5 yrs

£8.11pw (5 yrs)

£24.92pw (5 yrs)

Dama HDM186/HDM350 Tyre Changer

A fully automatic tyre changer offering a high specification at a hugely competitive price. The changer comes complete with an assist arm ideal for run flat and low profile tyres, alloy protection system to ensure zero wheel damage, and a large 25" turntable to cover the largest wheel sizes.

HDM60 Wheel Balancer

A fast and accurate balancer offering static and dynamic balancing complete with a range of wheel style settings and an aluminium rim program. The balancer has a digital readout with manual input of settings, covering wheels up to 24" rim diameters and 16" widths

BALANCER UPGRADE OPTION Dama HDMB3020B Wheel Balancer

This balancer is fully automatic, offering an informative LCD screen with step by step guide. All around measurement including width and diameter with a 10 second spin time. It has static & dynamic balancing with 5 alloy programs and a smart program that selects all necessary measurements. Includes brake for accurate weight fitting

BRONZE

Specification

Max wheel diameter - 1000mm Rim size inside - 13" - 25" Rim size outside - 11" - 23" Wheel width - 3" - 14" Power supply - 230v

Specification

Rim diameter - 8" - 24' Max wheel diameter - 1000mm Wheel width - 1.5" - 16' Rotation speed - 250rpm Balancing accuracy - +/- 1g Power supply - 230v



BRONZE PLUS

Specification Rim diameter - 9.5" - 28" Max wheel diameter -1100mm Wheel width - 1.5" - 20' Balancing time - 10s Power supply - 230v



£1895.00 £10.28pw (5 yrs) HDM186/HDM350 & HDMB3020B PACKAGE £3595.00 £19.50pw (5 v

£16.24pw (5 yrs)

OPTIONS

£370

£465

£485



HDM70 Pedal controlled air operated wheel lifter for tyre changers

Tyre changer motorcycle adapter

Large lveco cone (95-175mm) and adapter

Centerless wheel adapter

Wheel balancer motor cycle adapter



Tyre Changer Starter Kit

Weights for Steel & Alloy wheels, tubeless valves (2 sizes), fusion round tube repair, plug patch, fast dry cement, bead sealer, pre-buff cleaner aerosol, skiving knife, tyre mounting paste, spiral cement tool, stitcher, blue nitrile powder free gloves, plastic mounting tool and spherical rap golf ball

HICKLEYS



Dama HDM4200 - 2 Post Lift

A hugely popular lift with a 4.2T lifting capacity & flexible 3 stage arms, giving excellent coverage for cars, vans & 4x4s. This lift is ideal for good level floors and has a small drive over frame between the posts.

Features

4.2T Capacity Small drive over floor frame Electro-hydraulic operation Electronic locking system Twin cylinder & chain system 3 Stage symmetric arms Low pick-up height 115mm Available in single & 3 phase 2 Year warranty Includes 4 x 65mm pad extensions



YEAR

WARRANTY

£3295.00

£17.87pw (5 yrs)

Dama HDM4200SB 2 Post Lift

One of the most popular lifts in our range, providing top quality features at an excellent price. An ideal service lift with baseless design allows equipment to be manoeuvred beneath the lift. It has a lifting capacity of 4.2 tonnes & gives full flexibility for cars, 4x4s and vans. This version gives the added flexibility of 3 stages on all 4 arms, including 80mm rise extension pads.

Features

4.2T Capacity 2 Cylinder & chain driven Synchronization steel rope Electromagnetic lowering valve Electromagnetic safety lock Three-stage long arms Extension pads included Support blocks included Available in single & 3 phase

Dama HDM6.0T/SB2H - 2 Post Lift

2 YEAR

HDM4200SB

This 6 tonne lift has a huge lifting capacity at an amazingly low purchase price. Ideal for many light commercial workshops with 2 different height options. It can be installed at an external height of 4400mm or 4700mm. Flexible, baseless design, ideal where equipment needs to be manoeuvred beneath the lift. Inner height of 4230mm or 4530mm, giving full flexibility of lifting vehicles from large cars, 4x4s and large vans to small trucks. Comes complete with 1800mm 3 stage arms.

Features

Electro hydraulic operation WARRANTY Synchronization steel rope Electromagnetic lowering valve Electric lock release 2 Height switches, one for car and one for carriage. Min height 123mm - 178mm 3 Phase only Comes with 4 x 67mm & 4 x 127mm extensions



Dama HDM4000H 2 Post Lift

A service lift with base frame, ideal for a substantially level but poor quality floor, the base frame gives strength and structure to the installation and enables the lift to have a lifting capacity of 4 tonnes.

Features

4T Capacity Floor installation 2 Cylinder & chain driven Synchronization steel rope Electromagnetic lowering valve Electromagnetic safety lock Electrical safety devices for balancing cables and maximum height Three-stage long arms Extension pads included Support blocks included



Dama HDM5.0T/1 2 Post Lift

Excellent lift for 4x4s, large vans & motorhomes. Semi-base design with a small cover between the posts and side bracing arms for maximum rigidity No overhead gantry, the lift is ideal for working on varying sized vehicles and is perfect for garages with restricted height. Triple extending arms extend from 886mm to 1800mm long, with adjustable lift pad height of 110mm to 150mm.

Features

5t Lifting capacity Electro hydraulic operation Semi-base design with side braces Electronic lock release Triple ext. arms 886mm to 1800mm Lifting time 60 seconds Pad height min 110mm max 150mm Available in 3 phase only





Dama HDM2.5Y - Mobile Single Post Lift - Fixed Single Post Lift

A superbly versatile, mobile or fixed single post lift with a 2.5 tonne lifting capacity. This lift is easily manoeuvred around the workshop with a built-on trolley style handle and large wheels, or alternatively, bolted down, Electro-hydraulic operation and single phase, the lift has a low 115mm minimum height and comes complete with 50mm and 100mm extensions.

Technical Specification

Total height 2600mm Total width 2122mm Total length 2577mm Lifting height 115mm - 1760mm Extensions 50mm & 100mm Power supply 220V/1ph/50Hz/2.2KW Lowering time 53 seconds

Easily be converted from mobile to fixed



HICKLEYS





Dama HDM3.0 Scissor Lift

A top quality range of short platform, surface mounted, full height scissor lifts in 3T, 3.5T and 4T capacities, ensuring you can select the best lift for your needs. These lifts are designed to be surface mounted due to their low profile structure. The full range offers dual scissor operation via single or dual rams, auto safety locks, and a self levelling system. This is an ideal option when limited space is available or you want all around access to the vehicle.

Capacity	3T	3.5T	4T
Min Height	110mm	110mm	120mm
Max Height	1920mm	2140mm	2140mm
Plat. Length	1450mm-	1550mm-	1600mm-
	2050mm	2170mm	2180mm
Plat. Width	635mm	660mm	660mm
Phase	1ph/3ph	1ph/3ph	3ph



£5295.00

£28 72pw (5 yrs)

2 YEAR

WARRANTY

Dama HDM450 Service & Wheel Alignment 4 Post Lift

This 4.5t 4 post lift is both a service lift and a wheel alignment lift, having built-in rear slip plates and is recessed for front turnplates. The lift offers a wheel alignment option at an outstanding price. 5350mm Platform length & 2860mm between the posts. Ideal for longer vans, 4x4's and motorhomes.

Features

4 Column electro-hydraulic lift Rear lockable slip plates Turnplate recesses with covers Synchronisation using steel cable Solenoid valve for lowering Anti toe trap system Safety rope switches Single & 3 phase

Optional manual or air operated Jacking Beam. HML2.0TJB or HXT402N





Dama HDM3.0MV Mobile Scissor Lift

A mobile scissor lift with 3 tonne lifting capacity and 1000mm lifting height. This high quality mobile lift is easily manoeuvred into position to offer excellent flexibility in the workshop. Ideal for tyre bays, body shops and mechanical

This unit is single phase and is therefore able to be used anywhere in the workshop.

Mobility kit for easy movement Extendable ramps fixed to increase the range of vehicles that can be lifted and service tasks carried out.

Minimum height 110mm 2 YEAR WARRANTY Lifting height 1000mm Lifting time 30 seconds Platform length 1400-1940mm Platform width 1760mm



£2695.00

£14.62pw (5 yrs)

Dama HDM4.0MS Scissor Lifts

A perfect option for a service or wheel alignment lift where space is restricted, this 4t capacity service and wheel alignment lift has rear slip plates, integral scissor lift and removable fillets to fit front turnplates.

One of the real advantages of this lift is the suitability to surface mounting, with a minimum height of 240mm and long lightweight run on ramps it enables the lift to be installed without excavation.





TECALEMIT





Add the second s

- SF/9130/1/SI 3.0t mid-rise scissor lift
- Ideal fast fit and tyre shop environments
- Low profile access of 96mm
- Maximum working height of platforms 930mm
- Fast lifting time of 30 seconds
- Optional mobility kit increases workshop flexibility
- Electro-hydraulic operation
- 230v mains operated pump & motor



- SF/9492 4.0t Hydraulic 2-Post Lift
- Low lift pad height of just 98mm
- 'Soft-Start' Bosch Rexroth compact power module
- 3 stage symmetrical arms for lifting a wide range of vehicles
- Optional high lift pad extensions for lifting vehicles with higher ground clearance available

<u>ONLY ±2995</u> designed in **ITALY**





4-POST LIFTS

- Choice of platform lengths from 4.3m 8.0m
- Choice of lifting capacities from 3.5t 12.0t
- Choice of single or 3 phase power options
- Surface mount or recessed installation options
- Available in ATL, OPTL or MOT specifications

FROM JUST £6995



- SF/9235/EVR/KIT Electric Vehicle Ready 3.5t 2-Post lift
- Simple and easy to swap between lifting pads and forks
- Baseless design with clear floor between columns
- Suitable for lifting vehicles up to 3500kg GVW
- Asymmetrical, 3-stage lifting arm design
- Low pad lifting height of just 95mm
- Fast lifting time of 45 seconds



WE'RE FULLY EQUIPPED TO ASSIST ... 32

TECALEMIT

TECALEMIT

Treasurell

Celebrating 100 years of Tecalemit

D GTR/420/W Compact, high precision laser aligner Suitable for wheel sizes from 12" - 23" Highly accurate and easy to use Wall-mounted storage system On-rack battery charging Low clearance measuring heads to clear spoilers Includes brake pedal applicator, steering wheel TIRO clamp and radius plates 100-FROM JUS £1795 **TIROPLUS PACKAGE DEAL** track**align ONLY ±3845**

COMPLETE MOT PACKAGES FROM THE MOT EXPERTS



TIRO

Flush fit Play Detector for easy compliance with +/- 6mm DVSA level requirements. Standard on all Tecalemit ATL lift packages



Cable Protectors prevents chaffing, tangling and snagging, for longevity and reliability. Standard on all Tecalemit ATL 4-Post Lift packages



Space-saving Tecalemit Scissor Lift options available for both Class 4 & Class 7 testing. Ideal for workshops with width restrictions.



Large 680mm square High Visibility LED brake tester display available as an optional extra on Tecalemit MOT packages.





Shown with LA/CTD camber/caster gat

Years

5 Ye

OFMIND

Class 1 & 2 Upgrades **Available**

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

CALL TODAY TO ARRANGE YOUR FREE CONSULTA

HICKLEYS



3D WHEEL ALIGNER

Dama HDMA3D3000 3D Wheel Aligner The new Dama DMA3D3000 3D wheel alignment system offers the very latest in high

The new Dama DMA3D3000 3D wheel alignment system offers the very latest in high definition 3D technology, producing highly accurate and repeatable results thanks to the high quality camera system and precise, but small target boards. This enables excellent results in all circumstances. Can be used on a 4 post, scissor lift and floor or pit.

- 10" 21" Rim clamps with targets
- Single phase
- Filter lenses to reduce effect of sunlight
- Supplied complete with turnplates, steering wheel lock & brake depressor
- Windows 10 operating system with indepth vehicle database

scissor lifts

Wireless charging

Low spoiler mode

High precision alignment

Bluetooth communication
12 Months warranty

£7250.00

£39.32pw (5 yrs)

Large vehicle database

Remote control heads

- High precision HD cameras
- Motorised beam to follow lift

% Ravaglioli



6CCD WHEEL ALIGNER



Ravaglioli Wheel Alignment System

A hugely popular and highly accurate RAV 6 camera CCD four wheel alignment machine, offering an excellent opportunity to increase your services and revenue stream.

This unit is rich in features and reliable in operation, offering flexible alignment and can be used on 2 post lifts (with optional drop arm) 4 post lifts and floor or pit.

The unit is PC controlled with 19" TFT screen, colour printer and easy to read graphics, plus a huge vehicle database that enables you to carry out rapid wheel alignment to the manufacturers specification. The unit uses Bluetooth communication to the wireless heads which recharge on the storage trolley, ensuring there are no trailing cables. The 3 point quick clamps cover wheels up to 24" and have no metal to metal contact, ensuring no damage to wheels.

BRAIN BEE EMISSION ANALYSERS



AUTOMATIC TRANSMISSION FLUID EXCHANGE

\$

ON-SITE DEMO AVAILABLE

£3750.00

With the increasing amount of automatic transmission vehicles in the market, the need to offer a professional service to exchange the gearbox oil is increasing dramatically. This presents a new opportunity for garages that want to offer a comprehensive service and build an additional revenue stream.

The Brain Bee AGC range offers a sophisticated and accurate automated program, with automatic step by step procedures driven by a comprehensive vehicle database. The easy-to-use instructions guide you through the connections required, and the procedure to complete using the adapters from the popular adapter kit.

AGC-9250

- Automated and manual procedures
 4.3" Colour display &
- keyboard
 Comprehensive vehicle
- database • Step by step guided oil
- exchange procedure

 Oil change, flush and
- exchange programs
- contamination
- Adapter kit 1 17 included.

AGC-9280

- Automated and manual
- procedures4.3" Colour touch screen
- display
- Comprehensive vehicle database
- Powerful dual pump for max performance
- Step by step guided oil exchange procedure
- Oil change, flush and exchange programs
- Zero cross contamination
- Adapter kit 1 17 included





ABSOLUTE ALIGNMENT



www.absolutealignment.co.uk

ABSOLUTE

LIGNMEN

Bluetooth Pro Wheel Aligner

- 6 Camera CCD technolgy ADAS ready
- 24" Pro Wheel Clamps (no metal to metal contact)
- Use on 4 or 2 post lifts plus wheel free scissor lift
- Simple to understand before/after colour printout
- Smartphone/tablet app operation available
- VRM Number plate look up (Shoot & Go) option
- 12 Month warranty
- On-site training



5 YEAR LEASE £40.60 PW

PART No BTPRO





- Towerless design releases workshop space
- 3D Camera technology ADAS ready
- 24" Pro Wheel Clamps (no metal to metal contact)
- VRM Number plate look up (Shoot and Go)
- Use on 4 post or scissor lift
- Simple to understand before/after colour printout
- Perfect for low vehicles

FROM ONLY

£11,995.00 + VAT

5 YEAR LEASE £63.67 PW

- 12 Month warranty
- On-site training

BT3D



ABSOLUTE

ALIGNMENT

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED

() Rh



YMF CAR PARTS BRANCHES

WANT TO TALK ABOUT TOOLS & EQUIPMENT? PHONE YOUR LOCAL YMF BRANCH TODAY!

Branch	Address	Tel.
Harrogate	Unit i3b, Hornbeam Park Oval, Harrogate, HG2 8RB	01423 223940
Layerthorpe	62 Layerthorpe, York, YO31 7YW	01904 628828
Malton	Unit 5, Seph Way, York Road Industrial Estate, Malton, YO17 6YF	01653 602700
Poppleton	Unit 13, Rose Avenue, The Rose Centre, Nether Poppleton, YO26 6RX	01904 917280
Scarborough	Unit 1, Stadium Works, Barrys Lane, Scarborough, YO12 4HA	01723 413104
Selby	Unit 11A, Selby Business Park, Selby, YO8 8LZ	01757 403300

EMAIL: SMART@YORKMOTORFACTORS.CO.UK | WWW.YMFCARPARTS.CO.UK

BEST PRICE • BEST RANGE • FAST QUOTE • FINANCE ARRANGED



YMF Car Parts 01423 223940 HG2 8RB www.ymfcarparts.co.uk Layerthorpe 01904 628828

Harrogate

YO31 7YW

Malton 01653 602700 YO17 6YF

Poppleton 01904 917280 YO26 6RX

Selby 01757 403300 YO8 8LZ

Scarborough 01723 413104 YO12 4HA

